Report of a Birding Trip to

# Uganda


From 15<sup>th</sup> February 2020 to 23<sup>th</sup> February 2020

# Participants:

Arjan Brenkman, Jan van der Laan, Arshley Brian (guide)



Green-breasted Pitta, 23 February 2020, Kibale NP, Uganda; © Jan van der Laan.



Map

Ø

- 01. Entebbe
- 02. Mabamba Swamp
- 03. Lake Mburo
- 04. Kisoro
- 05. Mgahinga Gorilla NP
- 06. Ruhija, Bwindi Impenetrable Forest
- 07. The Neck, Bwindi Impenetrable Forest
- 08. Buhoma, Bwindi Impenetrable Forest
- 09. Queen Elizabeth NP
- 10. Kibale NP



## Introduction

Between 14 and 23 February 2020, Arjan Brenkman and me, Jan van der Laan travelled to Uganda, Africa. We both had visited South Africa in the past, but we had no experience in birding in tropical Africa. We checked several trip reports on CloudBirders and especially the <u>trip report</u> of Scott Kampmeier made us to choose for the <u>BirdingInUganda</u> company. The owner Paul Tamwenya said he could not guide us himself but offered the services of Arshley Brian. We negotiated for an itinerary in the south-west with emphasis on Green-breasted Pitta, Shoebill, African Finfoot and the Albertine Rift Endemics. Also included were a day Gorilla tracking and an afternoon Chimpanzee tracking.

#### Itinerary

- 14 Feb We took the KLM KL0535 flight of 9:55 hours from Amsterdam via Rwanda to Entebbe, Uganda. Flight departed in time and nothing worth to mention happened during the flight. We arrived at c 22:00 on Entebbe International Airport, where it was 2 hours later. They checked at the customs if we had a Yellow Fever vaccination and also we had to pay \$50 for an entrance visa. Our luggage appeared quickly and at around 22:30 we were at the exit. We had to wait c 20 minutes before Arshley arrived. Arshley brought us the Papyrus Lodge. At 23:30 hours we went to sleep.
- **15 Feb** We were awake while it was still dark and in the garden of the lodge we had our first bird, a Greybacked Caromeptera. After a quick breakfast we drove through the outskirts of Entebbe in the direction of our first target area, the Mabamba Swamp, a beautiful swamp mainly consisting of Papyrus. We embarked in a wooden boat and we went looking for our main quarry, the Shoebill. Several boats were in the area and with mobile phones they keep in contact with each other. After an half hour we were directed to a small channel and suddenly, a large bird flew off and landed before us. It took some 10 long minutes to push the boat through a small overgrown channel, but the Shoebill was present and stayed, giving us prolonged views. After half an hour we went looking for Papyrus Gonolek and Lesser Jacana. The Gonolek stayed out of sight, but after some careful searching we found two Lesser Jacanas. Other birds were Blue-breasted Bee-eater, Winding Cisticola, Swamp Flycatcher, Yellow-billed Duck, African Jacana, African and Western Marsh Harrier and several species of weavers. Moreover another Shoebill was found, together with the first bird. Unfortunately a thunder storm was developing so Arshley suggested it was best to leave the area and head for Lake Mburo. We had a quick lunch in a road restaurant at the Equator and continued our journey to Lake Mburo. Along the road we saw Wahlberg's Eagle, Southern Red Bishop, African Wattled Lapwing and Brown Snake Eagle. We arrived at around 16:15 hours at our hotel, the Eagle's Nest. After dropping our bags we started birding in the savanna area of Lake Mburo NP, mainly along the Impala trial. Best birds were Grey Kestrel, Grey Penduline Tit, Meyer's Parrot, Red-cheeked Cordon-bleu, Striped Kingfisher, Orangebreasted Bushshrike, African Grey Hornbill, Meyer's Parrot, Crested Barbet, Nubian Woodpecker, Little Bee-eater, Spot-flanked Barbet, Red-necked Spurfowl, Crested Francolin, Black-headed Gonolek and a Black-shouldered Nightjar on the road! After dinner and a beer we went to sleep. The beds were in a tent with a neat bathroom outside. At night Arjan heard an African Scops Owl.
- 16 Feb In morning some birding in the savanna area of Lake Mburo NP. At 8:00 hours we were present at the boat ramp for the boat trip on Lake Mburo. We shared the boat with 5 other tourists and most attention was payed to the hippo's that gave excellent views. Best birds were Swamp Flycatcher, Grey-capped Warbler, African Fish Eagle, Water Dikkop, Striated Heron, Black Crake, Woodland, Malachite and Pied Kingfishers, Blue-cheeked Bee-eater and the main quarry, the African Finfoot. After two hours we returned and first we looked for the Red-faced Barbet in the savanna area. As we could not obtain good views we decided to drive to the Rwakobo Rock lodge, the best place for Red-faced Barbet in Africa. After two hours search we gave up and drove to the north to connect with the road

that directed us to Kisoro. Best birds during the RB Barbet search were Steppe Buzzard, White-headed Vulture, Blue-naped Mousebird, Little Weaver, Black-faced Waxbill, Meyer's Parrot and Greater Blueeared Starling. After a lunch stop at the **Kaahwa Kanuzire Restaurant, Biharwe** we continued our journey to the west. We had a stop near **Mungenyi**, along the Kabala-Mbarara road in a papyrus swamp for the Papyrus Yellow Warbler. After a few responses we managed to get a glimpse of a bird moving from a papyrus stem into the reeds. Other good birds there were Black-headed Weaver, Carruthers's and Chubb's Cisticola, Grey-crowned Crane and White-winged Swamp Warbler. And again an heard-only of Papyrus Gonolek. Next on the program was the **Echuya Forest Reserve** where we had our first Albertine Rift endemics, Red-faced Wood Warbler and Regal Sunbird. Other good birds were Kandt's Waxbill, White-eyed Slaty Flycatcher, Cinnamon Chested Bee-eater, Northern Puffback and Yellow-whiskered Greenbul. Later we reached **Kisoro** and checked-in in our hotel for two days, the **Travelers Rest Hotel**.

- **17 Feb** Early morning we drove from Kisoro to the Mgahinga Gorilla NP. The road was very bad, but there had been no rainfall the past week, so we could continue without problems. On arrival at the visitor centre we had our first White-starred Robin and Northern Double-collared Sunbird. No less than two armed guards plus a guard with a lot of birding experience, Rwamuhanda Levi were assigned to us. After a short briefing we started to walk in the direction of the omnipresent Sabinyo Volcano. The trail is not steep and climbs from 2300 to 2900 meters over a distance of c 6 km. The closer you get to the volcano, the shorter the trees get. Sometimes you pass large stands of bamboo. Our goal was to reach the Sabinyo Gorge and to look for specialties like the Ruwenzori Turaco, Ruwenzori Double-collared Sunbird and Shelley's and Dusky Crimsonwings. We also met a group of Gorilla trackers and later we learned we had passed a group of Gorilla's within a 100 meters. Best birds were Archer's Ground Robin, Red-faced Woodland Warbler, Variable and Northern Double-collared Sunbird, Olive-breasted Greenbul, African Olive Pigeon, Afep Pigeon, Ruwenzori Batis, Western Tinkerbird, Ruwenzori Doublecollared Sunbird, Strange Weaver, Chubb's Cisticola, Kandt's Waxbill, Doherty's Bushshrike (heard only), Crowned Eagle, Ruwenzori Hill Babbler, Mountain Masked Apalis, Chestnut-throated Apalis and a Montane Nightjar flushed from the trail. Around noon we reached the gorge and at a stream crossing we had lunch and search the undergrowth for both crimsonwings. No crimsonwings, but Ruwenzori Apalis, White-necked Raven, Cinnamon Bracken Warbler and Albertine Boubou gave good views. During the descent we had finally good views of several Ruwenzori Turaco's and a single Dusky Turtle Dove. Also a Golden Monkey gave good views. At 17:00 hours we were back at the parking lot and drove back to Kisoro, where spent the night again in the Travelers Rest Hotel.
- **18 Feb** Today Gorilla tracking was on the program. Our departure point would be the Rushaga Sector, Bwindi Impenetrable Forest. First we had a briefing at the UWA Ranger station. Before the briefing started we had some biding behind the building that produced Black-and-white Shrike-flycatcher, African Goshawk, Baglafecht Weaver, Lühder's Bushshrike, Collared Sunbird, Black-billed Weaver and Yellowbilled Barbet. During the briefing c 100 tourists were dived over several groups and we were assigned to a group consisting of seven people, with two guards (one armed) and one helper, who carries your bag and drags you through difficult passages. Next we drove to the point where we would enter the forest to start the walk. At that point we saw our only Sharpe's Starling of the trip. At 9:30 we started to walk. Immediately it became clear that the pace for me was too high, so I had to walk in front. The first hill was very steep, but this proved to be the steepest. It took four hours to reach the so called Mucunguzi Gorilla family. The group consisted of eight individuals. We had very close looks of the Gorilla's and one time the Silverback did charge us, because the guards were cutting down the vegetation to give us better photographic opportunities. The Gorillas were a little bit annoyed by us and some individuals including the Silverback climbed into the trees. After staying with the Gorillas for about an hour we started to go back again. Birds were very few in this area, but that was also caused by the fact we were walking faster than we do normally when looking for birds. Arjan flushed an

Handsome Spurfowl on the trail, just when I was in the back of the group. Only birds we saw during this walk were Black-billed Turacos, Brown-capped Weaver, African Black Swifts, Scarce Swifts and our only Mountain Buzzard. At 18:00 hours we were back at the starting point and Arshley was waiting for us. Next we drove to Ruhija and the last part was in the dark along a bending road through the forest. At c 20:00 hours we reached our hotel in **Ruhija**, the nice <u>Trekkers Tavern Cottages</u>, where we had dinner and a cold beer. At night it started to rain.

- 19 Feb In the morning we heard the rain had not stop. After a quick breakfast and check-out, we went to the Ruhija Ranger Station to obtain permit and a guard for the track to the Mubwindi Swamp, supposed to be the best place in Uganda. The trail descends and was very slippery and almost waterfall-like. After 2 km walking we came upon an area were obviously a large group of elephants had recently passed. They were still close as we could smell them! For Arjan this was bad news. Moreover the guard told us there was currently a large herd present in the swamp itself. So we decided this was not a good idea and returned. We arrived at c 11:00 hours at the main road again and did some birding at Ruhija along the road. Best birds were Tambourine Dove, Rock Martin, Stripe-breasted Tit, Dwarf Honeyguide, Regal Sunbird, White-tailed Blue Flycatcher, Doherty's Bushshrike (heard only, again!), Barred Prinia and White-browed Crombec. We slowly moved in the direction of the Neck, an area were the road passed the narrowest part of Bwindi. Fortunately it stopped raining, so we finally had some pleasant and relaxed birding without any physical effort. We had good looks of Grey-throated Barbet, Speckled Tinkerbird, Least Honeyguide, Slender-billed & Yellow-whiskered Greenbul, Greyheaded & White-breasted Nigrita, White-chinned Prinia, Dusky-blue Flycatcher, Black-necked Weaver, Bocage's Bushshrike, Petit's Cuckooshrike, Black-faced Rufous Warbler, Black-throated Apalis and Olive, Blue-throated Brown, Little Green and Green-headed Sunbirds. Where the road crosses a stream we had good views of Black Bee-eater, Cassin's Flycatcher and Mountain Wagtail. Finally we reached Buhoma village were we checked in for two nights in the Ride 4 a Woman lodge, a place run by women. The lodge has a very nice veranda and the cottages have a nice porch too. At 21:30 we went to sleep, after a good dinner and a beer.
- 20 Feb Today we birded the trail that goes south from **Buhoma**. Halfway there is a side trail going to a waterfall. We had arranged a local guide called Nicolas, a young and very good and knowledgeable birder. We started to look for Chapin's Flycatcher, just behind the briefing area. We heard and singing and just when we had it in sight it flew away. Other birds at the start of the trail were Scaly-breasted Illadopsis, Many-colored Bushshrike, Lühder's Bushshrike, Cassin's Honeybird, Black-necked Weaver, Narrow-tailed Starling and Plain Greenbul. We were just going south again, when one of Nicolas's friend phoned to tell they had found a Kivu Ground Thrush, We started to run to the place and happily it was only c 500 meter running and on arrival we heard the bird singing. The bird moved on, but the second time we could catch a glimpse of the bird, when it flew away from its perch. We continued birding and spent some time getting an African Broadbill into view, with in the meantime birds like Chestnut Wattle-eye, Scaly-breasted Illadopsis, African Shrike-flycatcher, White-headed Wood Hoopoe, Red-throated Alethe, Bar-tailed Trogon (heard only) and White-bellied Robin-Chat. Again the other guards phoned again, telling they had found another Kivu Ground Thrush! We had to run for about a kilometre and the bird was c 100 meters into the thick forest, but to our surprise the bird was close and started to sing at close range on a mossy branch. We could film it, photograph it and sound recording it. Next we started to look for Neumann's Warbler along the Waterfall Trail. Unfortunately it started to rain heavily and we had to hide under a shelter and stayed there for more than two hours. When it stopped we continued birding along the main trail and we finally saw a Bar-tailed Trogon plus Elliot's Woodpecker, Grey Apalis, Green Hylia, White-tailed Ant Thrush, Ansorge's Greenbul, Yellowspotted Barbet, African Emerald Cuckoo and Yellow-streaked Greenbul. Then we heard a Neumann's Warbler singing along the main trail, so we had to go off trail. After some careful scrutinizing of the forest floor we managed to get very good and close looks of this skulking species until a Black-faced

Rufous Thrush chased it away. Also at the same location we heard a Red-tailed Bristlebill, but we discovered we were standing on an ant gathering so we were bitten all over and we had to run to get back to the safety of the trail again! We walked slowly back to **Buhoma** again, with new additions like Dusky Long-tailed Cuckoo, Hairy-breasted Barbet, Purple-headed Starling, Fraser's Rufous Thrush, Black Bee-eater, Little Green Sunbird, Equatorial Akalat, Red-tailed Greenbul, Grey-throated Tit-Flycatcher, Grey-headed Sunbird, Pink-footed Puffback and Buff-throated Apalis. We arrived at the parking lot at around 18:00 and said goodbye to our guards. A raptor flying over the mountain ridge turned out to be a Cassin's Hawk Eagle. We returned to the **Ride 4 a Woman lodge** again where we had a good dinner together with Arshley and Nicolas and made appointments with him to look for Red-chested Flufftail the next day.

- 21 Feb After an early breakfast and check-out we went to a location outside Buhoma where we would meet Nicolas again. Nicolas knew a swamp that was supposed to be good for Red-chested Flufftail. The swamp was very small and the strategy was to entice a bird to cross a small corridor in the reed. One bird responded immediately to our tape and walked at the edge of the reeds and crossed the channel twice, the last time in full view. A Ross's Turaco and a close Grey-capped Warbler completed our success. We said goodbye to Nicolas. Now we had an all day long drive to Kibale NP through Queen Elizabeth NP. It takes you through all kind of habitats like open rain forest to grassy savannas Unfortunately we had no time to visit the tree climbing Lions here or do a boat trip in the Kazinga Channel, but we had enough birds this day to soften the pain, like Spot-flanked Barbet, Fan-tailed Grassbird, Eurasian Hobby, Palm-nut Vulture, Red-headed Lovebird, Flappet Lark, Sooty Chat, Whitebrowed Coucal, Levaillant's Cuckoo, Red-faced Crombec, White-headed Barbet, African Pygmy Kingfisher, White-rumped Swift, Ayres's Hawk-Eagle, Long-toed Lapwing, Blue Malkoha, Saddle-billed Stork, Blue-breasted Kingfisher (heard-only), African Grey Woodpecker, Black-winged Kite, Verreaux's Eagle-Owl, good views of an immature White-backed Vulture, Red-shouldered Cuckooshrike, Violetbacked Starling and White-headed Saw-wing. Tension rose when we reached the bridge over the Kazinga Channel where we would obviously had our last chance to see Papyrus Gonolek. We played the song once and there it was in full sight, a beautiful and angry Papyrus Gonolek. A Carruthers's Cisticola was a new bird for Arjan and a large flock of Little Swift offered wonderful photographic opportunities to catch different positions of Little Swifts in flight. Also Martial Eagle, Black-chested Snake Eagle and Grey-headed Kingfisher were good roadside sightings. At 19:00 hours we reached our hotel for the last two days, the wonderful and friendly Kibale Forest Lodge at the edge of Kibale NP.
- 22 Feb Today would be the day where we all longed for, to look for an find our man quarry, the Greenbreasted Pitta. We woke up early, had a quick breakfast with lots of coffee and moved to the Visitors Center of Kibale NP. There we heard that our guide for the day, Olibokiriho Justice, had seen a bird during the night walk, the evening before, just 200 m behind the center. So our expectations were high. We positioned ourselves in the dark and waited till the bird would start to call. At 6:50 the bird started to call and we approached the tree carefully were the sound was coming from. The tree appeared to be just next to the trail. Then it happened... flash lights and people talking aloud were approaching. We could not stop them in time and only Arshley saw the bird taking off and disappeared. We waited for another 15 minutes, but nothing. Then the guide of the group that chased the bird away phoned us and told us he had two displaying birds just a ten minutes away from us, so we started to run in that direction. On arrival there was nobody anymore, nor was there any bird calling. We spent the rest of the morning looking for the pitta, hoping we would find it on the ground, but we only heard it two times more between the two locations. Birds were few and while looking for the pitta I saw a Chimpanzee walking through the forest (we heard many). We ended the morning with some birding on the parking lot at the entrance of the national park. Best birds were Western Oriole, Red-chested Cuckoo, Red-tailed Ant Thrush, Western Nicator, Red-capped Robin-Chat, Red-bellied Paradise

Flycatcher, Green Hylia and Little Greenbul. At the parking lot before the visitor center we observed three Alpine Swifts, two Yellow-mantled Weavers, Collared Sunbird and our only Yellow-throated Tinkerbird. Also we found a nesting Yellow-crested Woodpecker at the entrance road. We had lunch at our lodge and at 14:00 we started the Chimpanzee trekking in Kibale NP. We were assigned to a group of in total eight people, plus two guards and a guide. We had to drive a few kilometres and then we took a forest road and walked for some ten minutes until we came close to a group. We had great opportunities to see them at close range, but after an hour or so we had enough of chasing the animals in such a way and I had the impression the chimps did not like it in the end. With one chase off trail to go, I said I would stay on the main trail and watch the canopy for birds. So I stood all alone in the forest, when the alfa male appeared and walked towards me. A few meters in front of me he sat down and this lasted for five minutes. I stood quiet and when he scratched himself, I scratched myself too. When he looked in the canopy, I looked too. Then his lieutenant appeared with a large amount of fruit and they disappeared in the forest. Then my group came back asking me if I had seen something! Very happy with this experience we left the forest again, looked for a short while for the Blue-throated Roller (nothing) and to end the day, Arshley suggested to look for White-spotted Flufftail in the Bigodi Swamp behind the Kibale Forest Camp. We were granted permission, thanks to the smooth talking of Arshley and after a five minutes' walk we positioned ourselves on the trail and waited. Immediately a flufftail responded and after some patient waiting, the bird showed itself very well. In the evening we dinner in our lodge and a good beer, but we were afraid we would miss the Green-breasted Pitta.

23 Feb We woke up early, had breakfast and waited for Arshley to pick us up. He arrived on time and at 6:30 we were at the Visitor Center of Kibale NP again and waited for Justice to arrive. We immediately went to the spot were normally everybody goes and waited. At 7:00 I heard a pitta far away in the direction of the visitor center, so we walked in that particular direction. The bird stopped before we arrived at the place and now the forest seemed empty and silent (there were actually a lot of birds singing and the chimps started to scream too). Justice offered to go off trail to look for the birds, we stayed on the trail and hoped for the best. At first he phoned us to tell us he had chased a bird from the forest floor, but he could not relocate it. We went to another place and again Justice would go off trail and we would wait on the trail. A Chimpanzee suddenly appeared behind us, but he walked on, totally not paying attention to us. Then, at 10:10 we heard an owl imitation from beneath. It was Justice warning us he had found the bird. We ran and jumped to the place and after five long minutes we connected with him and he showed us two Green-breasted Pittas on the forest floor! We could follow the birds for c 20 minutes and were able to take good pictures and video footage. After some kind of celebration we slowly walked the trail in the direction of the car. Last birds in the forest were Dusky Tit, Velvet-mantled Drongo and Brown-eared Woodpecker. We returned to our lodge, packed our things, said farewell to the wonderful personal and at 12:00 hours we drove to Fort Portal. We checked some dead trees on our way for Blue-throated Roller, but again the bird would not show up. We had lunch at Fort Portal at 13:30 hours and from there we had a long drive to Entebbe, seeing only a few birds on our way, like African Palm Swift, Lappet-faced Vulture, Brown Snake Eagle and in the outskirts of Kampala we had our only Hooded Vultures. In Entebbe we could use a hotel room in the Victoria View Guest House for an hour to have a shower and prepare for our flight to Amsterdam. After a quick dinner Arshley and his brother brought us to Entebbe International Airport. We said farewell to him and thanked us for being a great guide, driver and companion. Check-in went smoothly and our flight departed in time at 23:35.

24 Feb We arrived at 6:00 hours at Schiphol Airport, Amsterdam. The luggage arrived quickly and customs let us through without any checking. We both took the train home, Arjan to Culemborg and me to Alkmaar. Next year the Black-faced Pitta in the Solomons, some left-overs in Northern Thailand or something new: Yunnan, Myanmar, Assam or Cameroon?



## **Species Accounts**

Order and nomenclature follows <u>www.worldbirdnames.org</u>, version 11.2. Species important to us are in capitals. The order in the photographs are on the date taken.

# **Recommended Literature**

We used the Birds Of Eastern Africa by Terry Stevenson and John Fanshawe (2003 edition) which was quite good, although a lot of information is out-dated, like the occurrence of Ansorge's Bulbul at Buhoma or any descriptions of the sounds of Green-breasted Pitta. There is a new version announced, but that will be somewhere in the end of 2020. Trip reports can be found at <u>www.cloudbirders.com</u>, <u>www.surfbirds.com</u> and <u>www.birdtours.co.uk</u>

# Acknowledgements

We would like to thank Hans Groot and Wim van Splunder for providing sound recordings and for the <u>good trip</u> <u>report</u>, Scott Kampmeier, <u>Bram Vogels</u>, <u>Tjeerd Burger</u>, <u>Henk Hendriks</u>, <u>Arjan Dwarshuis</u>, <u>Heleen Rijkes and Rob</u> <u>Gordijn</u> for their excellent bird reports, Toy Janssen for info on GB Pitta during February, Paul Tamwenya for organizing the trip, Arshley for guiding, driving and being patient all the time, the guides Olibokiriho Justice, Levi, Nicolas and guards for keeping us safe and finding great birds in meantime, John R for helping me up trail and down again during the Gorilla trekking, Jur van der Laan for sponsoring the Gorilla trek and last but not least our dear <u>wags</u>, Jantine and Marieke for keeping the homefront running and wealthy!

Jan van der Laan and Arjan Brenkman, Alkmaar & Culemborg February-March 2020.



Victory at the Green-breasted Pitta. From left to right: Justice, Jan, Arshley and Arjan; © Arjan Brenkman. On 14 November 2022 we heard Justice had passed away. Rest in peace, Justice, we will never forget you.



Ø

Left: Great Blue Turaco; right: White-throated Bee-eater; both on 15 February 2020, Entebbe-Mabamba Swamp; © Jan van der Laan.



Left: Purple Starling; right: Rüppell's Starling; both on 15 February 2020, Entebbe-Mabamba Swamp; © Jan van der Laan.



Left: Blue-breasted Bee-eater; right: Swamp Flycatcher; both on 15 February 2020, Mabamba Swamp; © Jan van der Laan.



Left: adult African Jaçana; right: juvenile African Jaçana; both on 15 February 2020, Mabamba Swamp; © Jan van der Laan.



The first Shoebill we saw, most probably an immature, 15 February 2020, Mabamba Swamp;  $\ensuremath{\mathbb{C}}$  Jan van der Laan.



Left: African Marsh Harrier; right: Western Osprey; both on 15 February 2020, Mabamba Swamp; © Jan van der Laan.



Left: Wood Sandpiper; right: Yellow-billed Ducks; 15 February 2020, Mabamba Swamp; © Jan van der Laan.



Left: Fan-tailed Widowbird; right: Winding Cisticola (very common); 15 February 2020, Mabamba Swamp; © Jan van der Laan.



Lesser Jaçanas, after a long search, 15 February 2020, Mabamba Swamp; © Jan van der Laan.



Ø

The second Shoebill, now an adult, 15 February 2020, Mabamba Swamp; © Jan van der Laan.



The first bird, now in another part of the swamp, showing its enormous wings, 15 February 2020, Mabamba Swamp; © Jan van der Laan.



The same Wahlberg's Eagle in different light conditions, 15 February 2020, east of Lake Mburo NP; © Jan van der Laan.

© The Virtual Birders 2020.



Left: African Wattled Lapwings; right: Golden-backed Weavers; 15 February 2020, Lake Mburo NP; © Jan van der Laan.




Left: Fork-tailed Drongo; right: Red-necked Spurfowl; 15 February 2020, Lake Mburo NP;  $\ensuremath{\mathbb{G}}$  Jan van der Laan.



Left: Grey Kestrel; right: Yellow-billed Oxpecker on a Zebra; 15 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: Striped Kingfishers; right: Little Bee-eater; 15 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: immature African Fish Eagle; right: adult African Fish Eagle; 16 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: Woodland Kingfisher; right: the very common Malachite Kingfisher; 16 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: Water Thick-knees; right: Black Crake; 16 February 2020, Lake Mburo NP; © Jan van der Laan.




Two different African Finfoots, our main target in Lake Mburo; 16 February 2020, Lake Mburo NP; © Jan van der Laan.

Ø



Left: Blue-cheeked (or Olive?) Bee-eater; right: Lappet-faced Vulture; 16 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: Yellow Wagtail (ssp thunbergi); right Common Buzzard (ssp vulpinus); 16 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: Black-headed Weaver; right: Grey-crowned Crane; 16 February 2020, Mungenyi, along the Kabala-Mbarara road; © Jan van der Laan.



Left: Yellow-rumped Tinkerbird; right: Regal Sunbird; 16 February 2020, Echuya Forest Reserve; © Jan van der Laan.

0



Left: White-starred Robin; right: Red-faced Woodland Warbler; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Left: Olive-breasted Greenbul; right: Western Tinkerbird; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Left: Kandt's Waxbills; right: Mountain Masked Apalis; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Left: Chestnut-throated Apalis; right: Ruwenzori Double-collared Sunbird; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



6

Crowned Eagle, probably searching for Golden Monkeys; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Left: adult Ruwenzori Turaco; right: immature Ruwenzori Turaco; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Left: the scarce Dusky Turtle Dove; right: Cinnamon-breasted Bee-eater; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Left: McKinnon's Shrike, 18 February 2020, Rushaga Sector, Bwindi Impenetrable Forest; right: Dwarf Honeyguide, 19 February 2020, Ruhija, Bwindi Inpenetrable Forest; © Jan van der Laan.



Left: Grey-throated Barbet; right: White-chinned Prinia; 19 February 2020, The Neck, Bwindi Impenetrable NP; © Jan van der Laan.



Left: Black-necked Weaver; right: Yellow-whiskered Greenbul; 19 February 2020, The Neck, Bwindi Impenetrable NP; © Jan van der Laan.



Black Bee-eater, 19 February 2020, The Neck, Bwindi Impenetrable NP; © Jan van der Laan.




Left: Cassin's Flycatcher; right: Mountain Wagtail; 19 February 2020, The Neck, Bwindi Impenetrable NP; © Jan van der Laan.



Left: Bronze Sunbird; right: Plain Greenbul; 19 February 2020, Buhoma, Bwindi Impenetrable NP; © Jan van der Laan.



Left: Many-coloured Bushshrike; right: Chestnut Wattle-eye; 20 February 2020, Buhoma; © Jan van der Laan.



Left: Abyssinian or Kivu Ground Thrush; right: Bar-tailed Trogon; 20 February 2020, Buhoma; © Jan van der Laan.



Left: Yellow-spotted Barbet; right: Hairy-breasted Barbet; 20 February 2020, Buhoma; © Jan van der Laan.



Left: Fraser's Rufous Thrush; right: Brown-capped Weaver; 20 February 2020, Buhoma; © Jan van der Laan.



Left: Ross's Turaco; right: Grey-capped Warbler; 21 February 2020, Buhoma;  $\ensuremath{\mathbb{C}}$  Jan van der Laan.



Left: African Harrier-Hawk looking for the nest of the African Pied Wagtail; 21 February 2020, Buhoma; © Jan van der Laan.



Ø

Left: Shikra; right: Flappet Lark; 21 February 2020, Queen Elizabeth NP; © Jan van der Laan.



Left: Red-headed Lovebird; right: Palm-nut Vulture; 21 February 2020, Queen Elizabeth NP; © Jan van der Laan.



Left: White-browed Coucal; right: Levaillant's Coucal; 21 February 2020, Queen Elizabeth NP;  $\ensuremath{\mathbb{C}}$  Jan van der Laan.



Left: Ayer's Hawk Eagle; right: Blue Malkoha; 21 February 2020, Queen Elizabeth NP; © Jan van der Laan.




Left: African Grey Woodpecker, pretending to be a sapsucker by making little holes; right: Red-faced Cisticola; 21 February 2020, Queen Elizabeth NP; © Jan van der Laan.



Left: Verreaux's Eagle-Owl; right: immature White-backed Vulture; 21 February 2020, Queen Elizabeth NP; © Jan van der Laan.



Papyrus Gonolek, finally out of the Papyrus jungle, 21 February 2020, Kazinga Channel, Queen Elizabeth NP; © Jan van der Laan.



Left: Martial Eagle; right: Black-chested Snake Eagle; 21 February 2020, north of Kazinga Channel; © Jan van der Laan.



Left: Little Swifts; right: Grey-headed Kingfisher; 21 February 2020, north of Kazinga Channel; © Jan van der Laan.



Left: Little Greenbul; right: Western Oriole; 22 February 2020, Kibale NP; © Jan van der Laan.



Left: Yellow-throated Tinkerbird; right: Yellow-crested Woodpecker; 22 February 2020, Kibale NP; © Jan van der Laan.



Ģ

Left: White-browed Robin-Chat, 22 February 2020, Kibale Forest Lodge; right: Green-throated Sunbird, 22 February 2020, Visitors Center Kibale NP; © Jan van der Laan.



At last! Green-breasted Pitta, 23 February 2020, Kibale NP; © Jan van der Laan.



Note how the iridescent blue feathers stand out in the gloom of the forest; 23 February 2020, Kibale NP; © Jan van der Laan.

© The Virtual Birders 2020.

C 13.1)
5 13.1)
away on a

0

Ģ

014.	Common Swift - Apus apu	JS	
	23-02	1	half way between Fort Portal and Entebbe.
015.	African Black Swift - Apus	s bark	patus roehli
	18-02 c 2	10	during the Gorilla track, Rushaga Sector, Bwindi Impenetrable Forest.
016.	Little Swift - Apus affinis a	aerob	pates
	15-02 c 2	10	(nesting) during lunch at the Equator, Nabusanke.
	21-02 c 30	00	at the Kazinga Channel, Queen Elizabeth NP.
	Unfortunately, no Horus S	Swifts	s were seen during our visit to Uganda.
017.	White-rumped Swift - Ap	us ca	ffer
	21-02 c 1	10	at several bridges in Queen Elizabeth NP.
018.	Great Blue Turaco - Coryt	haeo:	la cristata
	15-02 3	-4	<u>on our drive</u> from Entebbe to Mabamba Swamp.
	18-02 c	: 5	during the Gorilla track, Rushaga Sector, Bwindi Impenetrable Forest.
	20-02	2	Buhoma, Bwindi Impenetrable Forest.
019.	Bare-faced Go-away-bird	- Cri	nifer personatus leopoldi
	15-02	1	on our drive from Mabamba Swamp to Lake Mburo NP.
	c	: 5	savanna area of Lake Mburo NP; also there on 16-02.
020.	Eastern Plantain-eater - (	Crinif	er zonurus
			dside drive in to Mabamba. Also several in the gardens before entering Queen oma and roadside birds along the highway from Fort Portal to Entebbe.
021.	RUWENZORI TURACO - G	allire	x johnstoni kivuensis
	17-02 c	: 8	(c <u>5 seen</u> , others heard) Mgahinga Gorilla NP.
			, the others in various stages of moult towards adult plumage. An Albertine Rift I in the Ruwenzori Mountains (ssp <i>johnstoni</i> ).
022.	Ross's Turaco - Tauraco re	ossae	
	21-02	1	(well seen) Red-chested Flufftail Swamp, Buhoma.
023.	Black-billed Turaco - Taur	raco s	schuettii emini
	18-02	2	during the Gorilla track, Rushaga Sector, Bwindi Impenetrable Forest.
	20-02	1	(heard only) Buhoma, Bwindi Impenetrable Forest.
024.	Blue-headed Coucal - Cer	ntrop	us monachus fischeri
	15-02 0	: 5	(at least 3 seen, others heard only) Mabamba Swamp.
025.	White-browed Coucal - C	entro	opus superciliosus loandae
	15-02 c	: 5	(heard only) Lake Mburo NP.
	21-02	3	( <u>one een well</u> ) Queen Elizabeth NP.
026.	Blue Malkoha - Ceuthmo	chare	es aereus aureus
	21-02	2	(seen well) in the Kigezi Game Reserve part of Queen Elizabeth NP.



027.	7. Levaillant's Cuckoo - Clamator levaillantii			
	21-02	2	( <u>pair well seen</u> ) Queen Elizabeth NP.	
028.	Klaas's Cuckoo - Chrys	бососсу	x klaas	
	19-02	1	(heard only) between The Neck and Buhoma, Bwindi Impenetrable Forest.	
029.	African Emerald Cuck	<b>oo</b> - Ch	rysococcyx cupreus	
	20-02	2	( <u>male seen well</u> ) Buhoma, Bwindi Impenetrable Forest.	
030.	Dusky Long-tailed Cuo	<b>:koo</b> - (	ercococcyx mechowi	
	18-02	2	(heard only) during the Gorilla track, Rushaga Sector, Bwindi Impenetrable Forest.	
	20-02	c 5	(2 seen well) Buhoma, Bwindi Impenetrable Forest.	
	22-02	2-3	Kibale NP; also on 23-02.	
031.	Red-chested Cuckoo -	Cuculu	s solitarius	
	15-02	1	(photographed) savanna area of Lake Mburo NP.	
	20-02	c 10	(1 seen well, others heard only) Buhoma, Bwindi Impenetrable Forest.	
	22-02	c 5	(1 seen well) Kibale NP; also on 23-02.	
022	African/Common Cuc	koo - C	uculus gularis/caporus	
032.	15-02	2 - C	-	
	15-02	Z	savanna area of Lake Mburo NP. No calling was heard.	
033	Rock Dove - Columba	livia		
	Several observed in to		feral nonulation	
	Several observed in to	WII3. A		
034.	Speckled Pigeon - Col	umba g	uinea guinea	
		-	roadsides, especially during the first days on our way to the south-west.	
035.	Afep Pigeon - Columb	a unicir	ncta	
	17-02	1	Mgahinga Gorilla NP.	
036.	African Olive Pigeon -	Colum	ba arquatrix	
	16-02	2-3	Echuya Forest Reserve.	
	17-02	c 10	all in flight) Mgahinga Gorilla NP.	
037.	Dusky Turtle Dove - S	treptop	elia lugens	
	17-02	2	(one seen, the other heard only) Mgahinga Gorilla NP.	
038.	Red-eyed Dove - Strep	otopelia	a semitorquata	
	The most common pi	geon, s	een almost daily, especially in secondary growth, but also in the middle of good	
	primary forest, like M	gahinga	Gorilla NP.	
039.	Ring-necked Dove - St	reptop	elia capicola tropica	
	Common in Lake Mbu	ro NP, s	seen both on 15-02 and 16-02.	
040.			negalensis senegalensis	
		-	to Mabamba Swamp and in Lake Mburo NP. Also between seen along the road	
	between Fort Portal and Entebbe.			

041.	Emerald-spotted Wood Dove - Turtur chalcospilos		
	15-02 3-	-4	savanna area of Lake Mburo NP.
042.	Blue-spotted Wood Dove	- Tu	rtur afer
	16-02	2	(pair) at the boat ramp of Lake Mburo.
	21-02 c	5	Queen Elizabeth NP.
043.	Tambourine Dove - Turtur	r tyn	npanistria
	17-02	1	at the car park of Mgahinga Gorilla NP.
	19-02	1	(immature seen well) side trail of the Bwindi Forest Road, Ruhija.
	20-02	1	along the Buhoma Trail, Buhoma.
	22-02	1	Kibale NP.
044.	African Green Pigeon - Tre	eron	calvus gibberifrons
	15-02 c 2	20	<u>on the way towards</u> Mabamba Swamp.
	21-02	3	Kibale NP.
045.	African Finfoot - Podica se	eneg	alensis senegalensis
	16-02	2	(c 100 meters apart) <u>during</u> the <u>boat trip</u> , Lake Mburo NP.
046.	White-spotted Flufftail - S	Sarot	hrura pulchra centralis
	22-02	1	(finally good views of a male) <u>Bigodi Swamp</u> behind the Kibale Forest Camp.
	Seen while skulking in und	dergr	owth in a marshy area behind a luxurious lodge.
047.	Red-chested Flufftail - Sar		
	21-02	1	(seen) in a <u>small marsh</u> just outside Buhoma.
	One bird crossed a one me	eter	gap in the reeds twice, giving incredible views!
048.	Black Crake - Zapornia flav	viros	tra
	15-02 c	5	(one seen, others heard) Mabamba Swamp.
	16-02	4	( <u>pair with two chicks</u> ) during the boat trip, Lake Mburo NP.
049.	Grey Crowned Crane - Bal	leari	ca regulorum gibbericeps
	15-02	1	just before main entrance of Lake Mburo NP.
	16-02	2	Papyrus Yellow Warbler site, Mungenyi, along the Kabala-Mbarara road.
	21-02	1	just outside Buhoma.
050.	Little Grebe - Tachybaptus	s ruf	icollis capensis
	21-02	1	Queen Elizabeth NP.
051.	Water Thick-knee - Burhir	nus v	vermiculatus vermiculatus
	16-02	5	in one group on the <u>banks of the lake</u> during the boat trip on Lake Mburo NP.
052.	Black-winged Stilt - Himar	ntop	us himantopus
	15-02 c 2	-	rice paddies along the road to Lake Mburo NP.
		-	
053.	Long-toed Lapwing - Vane	ellus	crassirostris
	15-02	2	at <u>the boat ramp</u> of Mabamba Swamp.
	21-02	2	Queen Elizabeth NP.



054.	<ol> <li>African Wattled Lapwing - Vanellus senegallus lateralis</li> </ol>		
	15-02	3	rice paddies along the road to Lake Mburo NP.
		2	half way between Nombi and the Eagle's Nest, Lake Mburo NP.
		2	savanna area of Lake Mburo.
055.	Three-banded Plover - Ch	arad	rius tricollaris tricollaris
	15-02	1	rice paddies along the road to Lake Mburo NP.
056.	Lesser Jaçana - Microparr	a cap	
	15-02	2	( <u>seen well</u> ; after quite a search) Mabamba Swamp.
057.	African Jaçana - Actophilo	ornis	africanus
	15-02 c 30-4	40	Mabamba Swamp.
	21-02	5	(pair with 3 chicks) Queen Elizabeth NP.
058.	Common Snipe - Gallinag	o gal	linago
	15-02	1	(flushed) Mabamba Swamp.
	15 02	-	
059.	Common Sandpiper - Act	itis h	ypoleucos
	15-02	1	savanna area of Lake Mburo.
	16-02	3	Lake Mburo NP.
060	Croon Conditions Trings	ochr	
060.	Green Sandpiper - Tringa		
	16-02	1	Lake Mburo NP.
061.	Wood Sandpiper - Tringa	glare	eola
	15-02	4	Mabamba Swamp.
	21-02	2	Queen Elizabeth NP.
062	White-winged Tern - Chli	donia	
002.	-		
	15-02	1	(winter plumage) rice paddies along the road to Lake Mburo NP.
063.	African Openbill - Anasto	mus	lamelligerus lamelligerus
	16-02	2	(in flight) between Lake Mburo NP and the main road to the east.
064.	Woolly-necked Stork - Cid	conia	episcopus episcopus
	15-02	2	rice paddies along the road to Lake Mburo NP.
	21-02	3	Queen Elizabeth NP.
065.	Saddle-billed Stork - Ephi	ppio	
	21-02	1	Queen Elizabeth NP. New bird for Arjan, his bogey bird!
066.	Marabou Stork - Leptopti	los ci	rumenifer
	Common in cities and sev	eral o	colonies seen.
067.	Reed Cormorant - Microc	arbo	africanus africanus
	15-02 c 1	10	Mabamba Swamp.
	21-02	1	Kazinga Channel, Queen Elizabeth NP.

068.	African Sacred Ibis - Threskiornis aethiopicus16-022Lake Mburo NP.
069.	Hadada Ibis - Bostrychia hagedash nilotica Fairly common roadside bird, seen throughout the whole country.
070.	Striated Heron - Butorides striata atricapilla16-022-3during the boat trip, Lake Mburo NP.
071.	Squacco Heron - Ardeola ralloides 15-02 1 (winter plumage) Mabamba Swamp.
072.	Western Cattle Egret - Bubulcus ibis Few groups near cattle observed along the various highways.
073.	<ul> <li>Grey Heron - Ardea cinerea cinerea</li> <li>16-02</li> <li>1 rice paddies between Lake Mburo NP and Echuya Forest Reserve.</li> </ul>
074.	Black-headed Heron - Ardea melanocephala Regularly seen through the whole country. An active heronry was at the Kaahwa Kanuzire Restaurant, Biharwe, Mbarara-Masaka Road on 16-02.
075.	Purple Heron - Ardea purpurea purpurea15-02c 5Mabamba Swamp.
076.	Great Egret - Ardea alba melanorhynchos21-021at the Kazinga Channel, Queen Elizabeth NP.
077.	Little Egret - Egretta garzetta garzetta15-02c 20rice paddies along the road to Lake Mburo NP.17-021between Kisoro and Ruhija.
078.	Hamerkop - Scopus umbretta umbretta Fairly common roadside bird throughout the whole country.
079.	Shoebill - Balaeniceps rex15-022(one imm., one adult) Mabamba Swamp. Bizarre and huge birds.The immature was seen along a small channel, later along main channel where the adult was too.
080.	Great White Pelican - Pelecanus onocrotalus15-022Lake Mburo NP.
081.	<b>Pink-backed Pelican</b> - Pelecanus rufescens Several colonies in major cities (e.g. Entebbe) and often nesting together with Marabou Storks.
082.	Western Osprey - Pandion haliaetus haliaetus15-021Mabamba Swamp.

083.	Black-winged Kite - Elanus ca	aeruleus caeruleus
	15-02 1	Mabamba Swamp.
	21-02 1	Queen Elizabeth NP.
	1	west of Kibale NP.
	1	West of Ribale NP.
084.	African Harrier-Hawk - Polyt	poroides typus
	16-02 1	during the drive from Lake Mburo NP to Kisoro.
	17-02 2	between Rushaga and Buhoma.
	21-02 1	inspecting a roof for African Wagtail nests, just outside Buhoma.
085.	Palm-nut Vulture - Gypohier	ax angolensis
		-
	21-02 3	(two adults, one immature) Queen Elizabeth NP.
086.	Hooded Vulture - Necrosyrte	es monachus
	16-02 1	during the drive from Lake Mburo NP to Kisoro.
	23-02 3	(perched in an <u>electricity mast</u> ) at the turn off to Entebbe, Kampala.
087.	White-backed Vulture - Gyp	s africanus
	21-02 1	(immature) <u>Queen Elizabeth NP</u> .
	21-02 1	
088.	Rüppell's Vulture - Gyps rue	ppelli rueppelli
	15-02 1	(soaring with a Lappet-faced) Eagle's Nest, Lake Mburo NP.
089.	White-headed Vulture - Trig	onoceps occipitalis
	15-02 2	Lake Mburo NP.
090.	Lappet-faced Vulture - Torgo	os tracheliotos tracheliotos
	15-02 1	(soaring with a Rüppell's) Eagle's Nest, Lake Mburo NP.
	16-02 1	Lake Mburo NP.
	23-02 1	along the A109 during the drive from Fort Portal to Entebbe.
091.	Black-chested Snake Eagle -	Circaetus pectoralis
	21-02 2	(one <u>photographed</u> ) Queen Elizabeth NP.
092.	Brown Snake Eagle - Circaet	us cinereus
	15-02 2	during drive from Mabamba Swamp and Lake Mburo NP.
	23-02 1	along the A109 during the drive from Fort Portal to Entebbe.
003	Western Banded Snake Eagl	e - Circaetus cinerascens
095.		
	21-02 1	Queen Elizabeth NP.
094.	Bataleur - Terathopius ecauc	datus
	16-02 1	(adult) Lake Mburo NP.
	21-02 2-3	(one juvenile photographed) Queen Elizabeth NP.
095.	Crowned Eagle - Stephanoae	etus coronatus
	17-02 1	( <u>adult</u> ) Mgahinga Gorilla NP.
	1	<u></u> ,

0

096.	Martial Eagle - Polemae	tus be	llicosus
	21-02	1	<u>c 2 km north</u> of the Kazinga Channel, Queen Elizabeth NP.
097.	Long-crested Eagle - Lop	bhaetu	us occipitalis
	Common roadside rapto	or, see	n almost daily.
098.	Wahlberg's Eagle - Hiera		-
	•		silhouette is characteristic. Only one light bird was seen. Some birds were identified esser Spotted Eagle. Photographs proved otherwise.
099.	Ayres's Hawk-Eagle - Hid	eraaet	tus ayresii
	21-02	1	( <u>immature</u> ) Queen Elizabeth NP.
100.	Cassin's Hawk-Eagle - Ad	quila a	africana
	20-02	1	(adult) Buhoma.
101.			onogrammicus monogrammicus
	Several seen in the outs	kirts o	f Entebbe and Buhoma. Also seen in Kibale NP including a displaying pair.
102	African Goshawk - Accip	niter ta	achiro sparsimfasciatus
	18-02	1	at the Rushaga meeting point, Bwindi Impenetrable Forest.
		-	
103.	Shikra - Accipiter badius	sphei	nurus
	Fairly common roadside	rapto	r, most common at cities. Several seen perched.
104.	-	cipite	r melanoleucus melanoleucus
	15-02	1	(perched in a large fig tree) Entebbe.
	18-02	1 1	on our way from the Mabamba Swamp to the Masaka-Kampala Road. along <u>the road between</u> Rushaga and Buhoma.
105.	Western Marsh Harrier	- Circı	us aeruginosus aeruginosus
	15-02	1	Mabamba Swamp.
106.	African Marsh Harrier -		
	15-02 21-02	1 1	( <u>adult</u> ) Mabamba Swamp. ( <u>or a Western??</u> ) Queen Elizabeth NP; suggestions are welcome!
	21-02	T	( <u>or a westerner</u> ) Queen Enzabeth NF, suggestions are welcome:
107.	Yellow-billed Kite - Milv	us aeg	gyptius parasiticus
	Common in cities and ro	adsid	e. The birds checked were all this species and not <i>M. migrans</i> .
108.	African Fish Eagle - Halia	aeetus	s vocifer
	15-02	2	Eagle's Nest, Lake Mburo NP.
	16-02 c 21-02	: 15 5	Lake Mburo NP. Queen Elizabeth NP.
		5	
109.	Steppe Buzzard - Buteo	buteo	vulpinus
	16-02	2	Lake Mburo NP.
	21-02	1	Queen Elizabeth NP.
	22-02	1	Kibale NP.

	0		
110.	Mountain Buzzar	<b>d</b> - Buteo or	eophilus
	18-02	1	during the Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.
	_		
111.	Augur Buzzard - E	Buteo augur	
	16-02	c 8	between Lake Mburo NP and Echuya Forest Reserve.
	17-02	1	Mgahinga Gorilla NP.
	21-02	1	north of Buhoma.
	23-02	1	Kibale NP.
112.	Red-chested Owl	<b>et</b> - Glaucidi	um tephronotum medje
	22-02	1	(heard only) just behind the Visitor Center, Kibale MP; also on 23-02.
113.	African Scops Ow	<b>/l</b> - Otus sene	egalensis
	16-02	1	(heard only at night) Eagle's Nest, Lake Mburo.
114	Verreaux's Eagle-	<b>Owl</b> - Bubo	lacteus
± ± 4.	_		
	21-02	1	perched in a tree <u>along the road</u> , Queen Elizabeth NP.
115.	Speckled Mousek	<b>bird</b> - Colius	striatus kiwuensis
	Common to very	common thr	oughout the country, seen daily.
116.	Blue-naped Mou	<b>sebird</b> - Uroo	colius macrourus griseogularis
	16-02	c 6	savanna area of Lake Mburo NP.
	21-02	c 15	(several groups) Queen Elizabeth NP.
117.	Bar-tailed Trogor	<b>1</b> - Apaloderr	na vittatum
	20-02	2	(one seen, one heard only) Buhoma Community Trail, Buhoma.
118.	White-headed W	ood Hoopoe	e - Phoeniculus bollei jacksoni
	20-02	8	(feeding on mossy branches) Buhoma Community Trail, Buhoma.
119.	Green Wood Hoo	<b>ppoe</b> - Phoer	niculus purpureus marwitzi
	16-02	c 5	savanna area of Lake Mburo NP.
120	Crowned Hornbil	I - Lophocer	os alboterminatus
120.		•	
	drive between Fo		be, Mabamba Swamp, in the garden of Kibale Lodge and one or two during the long I Entebbe.
121.	African Grey Hor	<b>nbill</b> - Lopho	ceros nasutus epirhinus
	15-02	c 5	savanna area of Lake Mburo NP.
	16-02	2-3	savanna area of Lake Mburo NP.
	21-02	c 5	Queen Elizabeth NP.
	Black-and-white-	casqued Ho	rnbill - Bycanistes subcylindricus subquadratus
122.			along the Masaka road from Mabamba Swamp to Lake Mburo NP.
122.	15-02	1	
122.	15-02 19-02	1 1	Ruhija.
122.			

© The Virtual Birders 2020.

123.	Lilac-breasted Roll	<b>er</b> - Coraci	as caudatus caudatus
	15-02	8	along the road to Lake Mburo NP.
	16-02	1	along the road from Lake Mburo to the east.
			5
124.	Broad-billed Roller	r - Eurystor	mus glaucurus suahelicus
	A common roadsid	e bird, see	n throughout the whole country during the trip.
125.	Grey-headed King	f <b>isher</b> - Hal	cyon leucocephala pallidiventris
	21-02	c 10	(exclusively on wires) in the northern part of Queen Elizabeth NP.
126.	Striped Kingfisher	- Halcyon d	chelicuti chelicuti
	15-02	c 10	<u>savanna area</u> of Lake Mburo NP.
	16-02	c 5	savanna area of Lake Mburo NP.
	21-02	1	Queen Elizabeth NP.
127.	Blue-breasted King	<b>gfisher</b> - Ha	alcyon malimbica malimbica
	21-02	1	(heard-only; bird stayed in <u>dense forest edge</u> ) Queen Elizabeth NP.
128.	Woodland Kingfish	ner - Halcyd	on senegalensis senegalensis
	-	-	le wires to Mabamba Swamp, several during the boat trip in Lake Mburo and several
	more roadside bird		··· • · ·
		0	·
129.	African Pygmy Kin	<b>gfisher</b> - Is	pidina picta ferrugina
	21-02	2	at the junction with the road to Ishasha airstrip, Queen Elizabeth NP.
	-		<u>,</u>
130.	Malachite Kingfish	er - Coryth	nornis cristatus cristatus
	Very common in M	labamba S	wamp on 15-02 and during the boat trip in Lake Mburo on 16-02.
131.	Pied Kingfisher - C	eryle rudis	rudis
	Abundant in Maba	mba Swam	np and during the boat trip in Lake Mburo and a single bird seen from the birds over
	the Kazinga Chann		
132.	Black Bee-eater - N	verops gul	aris australis
	19-02	5	The Neck, Bwindi Impenetrable Forest NP.
	20-02	1	Buhoma Community Trail.
	23-02	2	Kibale NP.
133.	Little Bee-eater - N	Aerops pus	sillus meridionalis
	15-02	2-3	<u>savanna area</u> of Lake Mburo NP
	21-02	2	Queen Elizabeth NP.
134.	Blue-breasted Bee	-eater - M	erops variegatus loringi
	15-02	c 5-6	Mabamba Swamp; always perched on Papyrus stems.
135.	Cinnamon-chested	Bee-eate	r - Merops oreobates
	16-02	1	Echuya Forest Reserve
	17-02	- 1	parking lot of Mgahinga Gorilla NP.
	18-02	c 8	on wires in the Rushaga Sector, Bwindi Impenetrable Forest NP.

0

136.	White-throated Bee-eate	er - N	1erops albicollis
	15-02 c 5	50	( <u>on wires</u> ) along the road leading to Mabamba Swamp.
	21-02	1	Queen Elizabeth NP.
137.	Blue-cheeked Bee-eater	- Me	rops persicus persicus
	15-02	4	Masaka, along the Mbarara-Masaka Road.
	16-02 c :	10	<u>during the boat trip</u> on Lake Mburo.
	21-02 0	c 5	Queen Elizabeth NP.
120	European Bee-eater - Me	rong	apiattar
150.	-	-	
	17-02 c 1	10	along the road between Kisoro and Mgahinga Gorilla NP.
139.	Grey-throated Barbet - G	iymn	obucco bonapartei cinereiceps
	19-02	2	( <u>one photographed</u> ) along the Bwindi Forest Road, Ruhija.
	20-02	2	Buhoma Community Trail.
	22-02 c 2	10	Kibale NP; also on 23-02.
140.	Speckled Tinkerbird - Pog	goniu	Ilus scolopaceus flavisquamatus
	19-02	1	The Neck, Bwindi Impenetrable Forest.
	20-02 3	8-4	Buhoma Community Trail.
	22-02 c	5 5	Kibale NP; also on 23-02.
1/1	Western Tinkerbird - Pog	oniu	lus corunhagi hildamariag
141.	-		
	17-02	2	( <u>one seen brilliantly</u> , other heard only) Mgahinga Gorilla NP.
142.	Yellow-throated Tinkerbi	ird -	Pogoniulus subsulphureus flavimentum
	22-02	1	at the Visitor Center, Kibale NP.
143.	Yellow-rumped Tinkerbir	r <b>d</b> - P	ogoniulus bilineatus mfumbiri
			n leaving Mabamba Swamp on 15-02, seen or heard daily since then. On 19-02 we
	observed an individual in	Ruhi	ija who was constantly harassing the Dwarf Honeyguide.
144	Vellow-fronted Tinkerbir	<b>d</b> - P	ogoniulus chrysoconus chrysoconus
144.	21-02	2	(twice one bird) Queen Elizabeth NP.
	21-02	Z	(twice one bird) Queen Elizabeth NP.
145.	Yellow-spotted Barbet - E	Bucca	anodon duchaillui
	20-02	2	( <u>one photographed</u> ) Buhoma Community Trail.
			<u>, , , , , , , , , , , , , , , , , , , </u>
146.	Hairy-breasted Barbet - T	Frich	olaema hirsuta ansorgii
	20-02	1	( <u>seen well</u> ) Buhoma Community Trail.
	22-02	1	(heard only) Kibale NP.
147.	Spot-flanked Barbet - Trie	chola	
	15-02 c	5 5	Lake Mburo NP; also on 16-02.
	21-02	1	Queen Elizabeth NP.
148	White-headed Barbet - 1	vhiu	s leucocephalus leucocephalus
±70.			
	16-02 21-02	1 2	Lake Mburo NP. (pair close by) Queen Elizabeth NP.
	21-02	2	(pan close by) Queen Liizabelli NF.

149.	RED-FACED BARBET - Ly	bius ı	rubrifacies
	16-02	1	(untickable views) savanna area of Lake Mburo NP.
150.	Double-toothed Barbet	- Lyb	ius bidentatus aequatorialis
			ive in to Mabamba on 15-02 and several singles at Lake Mburo on 15-02 and 16-02, 02, Mgahinga on 17-02 and Buhoma on 20-02.
151.	Yellow-billed Barbet - Tr	achy	phonus purpuratus elgonensis
	18-02	1	(seen well) Rushaga Sector, Bwindi Impenetrable Forest NP.
	20-02	1	(heard only) Buhoma Community Trail.
	22-02	1	(heard only) Kibale NP.
152.	Crested Barbet - Trachyp	bhon	us vaillantii suahelicus
	15-02	2	savanna area of Lake Mburo NP.
	21-02	1	Queen Elizabeth NP; an apparent range extension.
153.	Cassin's Honeybird - Pro	dotis	cus insignis insignis
200.	20-02	1	(in display) at the start of the Buhoma Community Trail.
	20.02	-	(in display) at the start of the barlonia community fram.
154.	DWARF HONEYGUIDE -	Indica	ator pumilio
	19-02	1	Ruhija, Bwindi Impenetrable Forest NP.
155	Willcocks's Honeyguide	- Indi	icator willcocksi
100.			rilla NP on 17-02 in a small flock of Greenbuls and Mountain Yellow Warbler was
	based on occurrence mo		
156.	Least Honeyguide - Indic	ator	exilis pachyrhynchus
	19-02	1	(high up in a tree) The Neck, Bwindi Impenetrable Forest.
157.	Brown-eared Woodpeck	(er - (	Campethera caroli caroli
	23-02	2	(pair in a bird flock) <u>Kibale NP</u> .
158.	Nubian Woodpecker - Pa	ardip	
	15-02	2	savanna area, Lake Mburo BP.
159.	Yellow-crested Woodpe	cker	- Chloropicus xantholophus
	22-02	1	(nesting) at the entrance of the Visitor Center of Kibale NP.
4.60			
160.	-		ropicos fuscescens lepidus
	16-02	1	savanna area, Lake Mburo NP.
161.	Elliot's Woodpecker - De	endro	ppicos elliotii elliotii
	18-02	1	(female) Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.
	20-02	3	(pair and a lone male) along the Buhoma Trail, Buhoma.
162	African Grev Woodpeck	er - D	endropicos goertae centralis
	21-02	2	( <u>one photographed</u> ) Queen Elizabeth NP.
			like sapsuckers as they make small holes in the tree bark.

Birds	observed in Uganda from	15 to	23 February 2020.
163.	Common Kestrel - Falco	tinnu	unculus rufescens
	15-02	2	Lake Mburo NP.
164.	Grey Kestrel - Falco ard	osiace	eus
	15-02	1	( <u>close views</u> ) savanna area of Lake Mburo NP.
	21-02	1	Queen Elizabeth NP.
165	Eurasian Hobby - Falco	subbi	
105.	21-02	1	(adult) Queen Elizabeth NP.
	21-02	T	(addit) Queen Elizabeth NP.
166.	Grey Parrot - Psittacus e	eritha	cus
	22-02	1	(heard only, while waiting for the Green-breasted Pitta ) Kibale NP.
	The search for the Gree	en-bre	easted Pitta took us so much time we had not enough time to concentrate on th
	specific Kibale birds. Gre	ey Par	rot is a good place to see this endangered parrot.
167	Meyer's Parrot - Poicep	halus	meyeri saturatus
107.	15-02	2-3	outskirts of Entebbe.
	13-02	2-5 c 5	savanna area of Lake Mburo.
	16-02	2	(near a nesting hole) Rwakobo Rock Lodge, Lake Mburo NP.
168.	Red-headed Lovebird -		
	15-02	2	(untickable views) Lake Mburo NP.
	21-02	2	(pair well seen) Queen Elizabeth NP.
169.	African Broadbill - Smit	hornis	s capensis meinertzhageni
	20-02	1	(heard only) <u>Buhoma Community Trail</u> , Buhoma.
470			
170.	GREEN-BREASTED PITT		
	22-03 23-03	1 3	(heard only) <u>just behind</u> the Visitor Centre, Kibale NP (one heard only, <u>two seen well</u> ) Kibale NP.
		-	e close-by at dawn on the first morning but the bird was unexpectedly flushed whe
			ssed us. The next morning we heard one at a distance but no show. After thi
	disappointment, Olibok	iriho	Justice, our ranger, turned the site upside down and after finding one which h
	flushed himself, he final	ly fou	nd a pair an hour before we needed to go, resulting in a twenty minutes view.
171	RUWENZORI BATIS - Ba	tis dia	nns
1/1.	17-02	8	(including a group of 5) Mgahinga Gorilla NP.
	20-02	1	The Neck, Bwindi Impenetrable Forest.
172.	Chinspot Batis - Batis m	olitor	puella
	16-02	1	(female) savanna area, Lake Mburo NP.
	18-02	1	during the Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.
173.	Chestnut Wattle-eye - F	latys	teira castanea
	20-02	2	(pair, but both immature) Buhoma Community Trail, Buhoma.
174.	Brown-throated Wattle	-eye	- Platysteira cyanea nyansae
	16-02	2	(male) Rwakobo Rock Lodge, Lake Mburo NP.
	22-02	1	(female) Kibale Forest Lodge.

175.	Many-colored Bushshril	<b>(e</b> - Ch	lorophoneus multicolor graueri			
	20-02	2	(male plus immature) Buhoma Community Trail, Buhoma.			
176.	. Bocage's Bushshrike - Chlorophoneus bocagei bocagei					
	19-02	4	(pair with two juveniles) The Neck, Bwindi Impenetrable Forest.			
	20-02	3	(1 female seen, others heard) Buhoma Community Trail, Buhoma.			
177.	Orange-breasted Bushsl	hrike -	Chlorophoneus sulfureopectus sulfureopectus			
	15-02	1	( <u>seen well</u> ) savanna area, Lake Mburo NP.			
178.	Doherty's Bushshrike - 7	eloph	orus dohertyi jacksoni			
	17-02	1	(heard only) <u>Mgahinga Gorilla NP</u> .			
	19-02	1	(heard only) <u>Ruhija</u> .			
179.	Brown-crowned Tchagra	a - Tch	agra australis emini			
	19-02	1	between The Neck and Buhoma, Bwindi Impenetrable Forest.			
180.	Pink-footed Puffback - [	Dryosc	opus angolensis nandensis			
	20-02	2	(twice a female) Buhoma Community Trail, Buhoma.			
181.	Northern Puffback - Dry	oscop	us gambensis erwini			
	16-02	c 5	Echuya Forest Reserve.			
	18-02	1	during the Gorilla Trek, Rushaga Sector, Bwindi Impenetrable Forest.			
	19-02	2-3	Ruhija area, Bwindi Impenetrable Forest.			
182.	ALBERTINE SOOTY BOU	BOU -	Laniarius holomelas			
	17-02	1	at the start of the Sabinyo Gorge, Mgahinga Gorilla NP.			
183.	Lühder's Bushshrike - La	iniariu	s luehderi			
	18-02	1	(seen well) UWA Ranger station, Rushaga, Bwindi Impenetrable Forest NP.			
	19-02	1	(heard only) The Neck, Bwindi Impenetrable Forest.			
	20-02	2	(heard only) at <u>the start</u> of the Buhoma Community Trail, Buhoma.			
184.	Papyrus Gonolek - Lania	rius m	nufumbiri			
	15-02	2-3	(heard only) Mabamba Swamp.			
	16-02	1	(heard only) during the boat trip, Lake Mburo NP.			
		1	(heard only) Mungenyi, along the Kabala-Mbarara road.			
	21-02	1	(heard only) <u>some papyrus swamp</u> along the road, Queen Elizabeth NP.			
		1	(very good views) <u>Kazinga channel bridge</u> , Queen Elizabeth NP.			
185.	Black-headed Gonolek -	Lania				
	16-02	3	(one seen well, other two heard only) savanna area of Lake Mburo NP.			
	21-02	2-3	(one seen, others heard only) Queen Elizabeth NP.			
186.	-	<b>r</b> - Me	gabyas flammulatus aequatorialis			
	20-02	2	(twice a male) Buhoma Community Trail, Buhoma.			
	22-02	2	(pair) Visitor Centre, Kibale NP.			
187.	Black-and-white Shrike-	flycat	<b>cher</b> - Bias musicus musicus			
	18-02	1	(female) UWA Ranger station, Rushaga, Bwindi Impenetrable Forest.			

188.	Grey Cuckooshrike - Ce	eblepyr	is caesius purus
	18-02	1	Rushaga Sector, Bwindi Impenetrable Forest.
	19-02	3-4	(in one flock) Ruhija Area, Bwindi Impenetrable Forest.
189.	Black Cuckooshrike - Ca	ampep	haga flava
	15-02	1	(male with yellow shoulders) savanna area of Lake Mburo NP.
190.	Red-shouldered Cucko	oshrike	e - Campephaga phoenicea
	21-02	2	(males fighting with each other) Queen Elizabeth NP.
191.	Petit's Cuckooshrike - (	Campe	ohaga petiti
	19-02	2	(pair) The Neck, Bwindi Impenetrable Forest.
192.	Mackinnon's Shrike - La	anius n	nackinnoni
	Several roadside birds i	n the B	windi area, first birds on the drive in to UWA Ranger station, Rushaga.
193.	Grey-backed Fiscal - La	nius ex	cubitoroides boehmi
	Common from Mabaml	ba to La	ake Mburo, after this park birds are replaced by Common Fiscal.
194.	Northern Fiscal - Lanius	s hume	ralis capelli
	Common roadside bird	l in the	e greener parts of Uganda, replacing Grey-backed which prefers the drier/acacia
	dominated areas.		
195.	Western Oriole - Oriolu	ıs bracl	nyrhynchus laetior
	22-02	2	( <u>adult</u> plus immature) Kibale NP.
196.	Mountain Oriole - Orio	lus per	civali
	19-02	2	at the start of the trail to the Mubwindi Swamp, Bwindi Impenetrable Forest.
197.	Velvet-mantled Drongo	<b>o</b> - Dicr	urus modestus coracinus
	23-02	1	(in a feeding flock) Kibale NP.
198.	Fork-tailed Drongo - Di	crurus	adsimilis adsimilis
	15-02	c 5	one at the Eagle's Nest, other in the savanna area of Lake Mburo NP
	16-02	c 8	Lake Mburo NP.
	Regularly observed alor	ng the I	main roads between 17-02 and 23-02.
199.	Red-bellied Paradise Fl	ycatch	<b>er</b> - Terpsiphone rufiventer somereni
	22-02	1	(well seen) Kibale NP.
200.	African Paradise Flycat	cher - <sup>-</sup>	Terpsiphone viridis kivuensis
	22-02	1	(heard only) Kibale NP.
201.	Pied Crow - Corvus albu	us	
	Common in towns and	settlen	nents.
202.	White-necked Raven -	Corvus	albicollis
	17-02	2	Mgahinga Gorilla NP.

		-	
	s,		
			i

203.	African Blue Flycatche	r - Elmi	nia longicauda teresita
	21-02	2	in a banana plantation just outside Buhoma.
	22-02	1-2	in <u>the garden</u> of the Kibale Forest Lodge.
204.	White-tailed Blue Flyca	atcher	- Elminia albicauda
	19-02	1	Ruhija area, Bwindi Impenetrable Forest.
205.	White-tailed Crested F	lycatch	ner - Elminia albonotata albonotata
	17-02	1	at the start of the Sabinyo Gorge, Mgahinga Gorilla NP.
206.	Dusky Tit - Melaniparu	s funer	eus funereus
	20-02	2	(pair) Buhoma Community Trail, Buhoma.
	23-02	4	( <u>in a feeding flock</u> ) Kibale NP.
207	CTDIDE DDEACTED TIT	Molar	niparus fasciiventer fasciiventer
207.			
	19-02	2	Ruhija area, Bwindi Impenetrable Forest.
208.	Grey Penduline Tit - Ar	nthosco	opus caroli roccatii
	15-02	1	<u>savanna area</u> of Lake Mburo NP.
	At first this sighting loo	ked ur	expectedly, but on Ebird we found more sightings in the same area.
209.	Western Nicator - Nica	tor chl	oris
	22-02	1	(seen well) Kibale NP.
	23-02	1	(heard only) Kibale NP.
210.	Flappet Lark - Mirafra ı	ufocin	namomea kawirondensis
	21-02	2	Ishasha sector, Queen Elizabeth NP.
	2102	-	
211.	Slender-billed Greenbu	<b>ıl</b> - Ste	lgidillas gracilirostris gracilirostris
	19-02	2	(1 <u>seen well</u> ) The Neck, Bwindi Impenetrable Forest.
	22-02	1	Kibale NP.
212.	Red-tailed Bristlebill - I	Bleda s	yndactylus woosnami
	20-02	2-3	(heard only) Buhoma Community Trail, Buhoma.
	Several heard at an ant	t swarr	n near the Neumann's Warbler but they wouldn't come out and it certainly didn't
	help that ants were all	over u	s as well, so we had to leave this part of forest quickly.
213.	Yellow-throated Leaflo	ove - At	timastillas flavicollis flavigula
	15-02	2	at the boat departure, Mabamba Swamp.
	16-02	1	at the shores of Lake Mburo.
	19-02	1	between Ruhija and Buhoma.
214.	Honeyguide Greenbul	- Baeo	pogon indicator indicator
	20-02	1	at the Neumann's Warbler site, Buhoma Community Trail, Buhoma.
215	Kakamega Greenbul - /	Arizelo	cichla kakamegae kakamegae
215.	19-02	2	
	20-02	2 3-4	The Neck, Bwindi Impenetrable Forest. Buhoma Community Trail, Buhoma.
		-	formerly known as a subspecies of Shelley's Greenbul - A. tephrolaema.
	-		

Birds	observed in Uganda fr	om 15 to	23 February 2020.	0
216.	Olive-breasted Gree	<b>nbul</b> - Ar	rizelocichla kikuyuensis	
	16-02	1-2	Echuya Forest Reserve.	
	17-02	c 10	Mgahinga Gorilla NP.	
	18-02	c 5	during Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.	
217.	Red-tailed Greenbul	- Crinige	er calurus calurus	
		c 6		
	20-02	6	(including a group of 4 seen) Buhoma Community Trail, Buhoma.	
218.	Little Greenbul - Eur	illas virer	ns virens	
	20-02	2-3	Buhoma Community Trail, Buhoma.	
	22-02	2	<u>Visitor Center</u> , Kibale NP.	
219.	Yellow-whiskered G	reenbul ·	- Eurillas latirostris latirostris	
	16-02	1-2	Echuva Forest Reserve.	
	19-02	2-3	The Neck, Bwindi Impenetrable Forest.	
	20-02	c 5	Buhoma Community Trail, Buhoma.	
	20-02	ĊĴ	Bunoma community frail, Bunoma.	
220.	Plain Greenbul - Euri	illas curv	irostris curvirostris	
	19-02	1	The Neck, Bwindi Impenetrable Forest.	
	20-02	2	(pair nest-building) Buhoma Community Trail, Buhoma.	
	The broken eye-ring	and thei	r call are the distinguishing features from Little Greenbul.	
221.	Ansorge's Greenbul	- Eurillas	ansorgei ansorgei	
	20-02	1	Buhoma Community Trail, Buhoma.	
			le Greenbul, on plumage it is very difficult. There is an Uganda population in known in the Birds of East Africa guide from 2002.	ı e.g.
222.	Yellow-streaked Gre	enbul - F	Phyllastrephus flavostriatus olivaceogriseus	
	20-02	2	Buhoma Community Trail, Buhoma.	
	This is an easy to ider	ntify, larg	ge Greenbul species, rather pale from below, but with distinctive grey head and l licking the wings while foraging.	back
223.	Toro Olive Greenbul	- Phyllas	strephus hypochloris	
	23-02	1	Kibale NP.	
224.	Dark-capped Bulbul	- Pvcnon	notus tricolor tricolor	
		•	e trip, everywhere where there even a suggestion of a tree.	
225		P. J		
225.	-	allaoproc	cne pristoptera ruwenzori	
	16-02	c 5	between Echuya Forest Reserve and Kisoro.	
	17-02	c 10	Mgahinga Gorilla NP.	
	18-02	c 5	Rushaga Sector, Bwindi Impenetrable Forest.	
	19-02	c 5	(some breeding in banks of the road) Ruhija, Bwindi Impenetrable Forest.	
226.	White-headed Saw-	<b>ving</b> - Ps	alidoprocne albiceps albiceps	
	21-02	4-8	coming and going in 4 nests in a nesting bank, just before the bridge over Kaz channel, Queen Elizabeth NP.	zinga
227.	Banded Martin - Neo	ophedina	a cincta suahelica	

c 25 15-02 Mabamba Swamp.

228.	Sand Martin - Riparia ri	paria	
	22-03	c 10	hawking over Kibale NP.
229.	Rock Martin - Ptyonopr	ogne f	uligula rufigula
	19-02	3	Ruhija area, Bwindi Impenetrable Forest.
230.	Wire-tailed Swallow - H	lirundo	o smithii smithii
	21-02	2	Queen Elizabeth NP.
231.	Barn Swallow - Hirundo	rustic	а
	The most common swal	low, s	een daily throughout the whole country.
232.	Angolan Swallow - Hiru	ndo ar	ngolensis
	15-02	c 10	perched on wires along the road to the Mabamba Swamp.
233.	Mosque Swallow - Cecr	opis se	enegalensis monteiri
	15-02	3	Lake Mburo NP.
	21-02	1	Queen Elizabeth NP.
234.	Lesser Striped Swallow	- Cecr	opis abyssinica unitatis
	Common in towns and v	villages	s throughout the whole country.
235.	Red-rumped Swallow -	Cecro	pis daurica
	20-02	2-3	above Buhoma Village; unknown ssp, as these could be wintering or local birds.
236.	Moustached Grass War	bler -	Melocichla mentalis amauroura
	15-02	1	(seen) along the road to the Mabamba Swamp.
237.	Red-faced Crombec - Sy	lvietta	a whytii jacksoni
	21-02	1	Ishasha sector, Queen Elizabeth NP.
238.	White-browed Crombe	<b>c</b> - Sylv	vietta leucophrys chloronota
	19-02	1	(in a flock of Grey Cuckooshrikes) Ruhija area, Bwindi Impenetrable Forest.
239.	NEUMANN'S WARBLER	- Uros	sphena neumanni
	20-02	1	(seen well) <u>Buhoma Community Trail</u> , Buhoma.
			d of the trip, with Grauer's Broadbill not seen. We heard one singing and after some
	-		ally well, creeping on the ground and on logs. A stunning bird. Irestedt et al (2011)
	•		nni is deeply nested within the Cettiidae" and "This disjunct distribution could be
			ca by long-distance dispersal, or the Cettiidae may at some point in the past have
			al distribution that also covered parts of Africa".
240.	<b>Green Hylia</b> - Hylia pras	ina pra	asina
	15-02	1	(heard only) Mabamba Swamp.
	20-02	2	(seen) Buhoma Community Trail, Buhoma.
	22-02	1	Kibale NP.

# 241. Willow Warbler - Phylloscopus trochilus

18-02

1 during the Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.

242. RED-FACED WOODLAND WARBLER - Phylloscopus laetus laetus

1/22       21       Buhoma Community Trail, Buhoma.         223       2402       1       Buhoma Community Trail, Buhoma.         233       Sedge Warbler - Acrocephalus schoenobaenus       15-02       3       (minimum) Mabamba Swamp.         244.       African Reed Warbler - Acrocephalus baeticatus cinnamomeus       15-02       3       (one seen well) Mabamba Swamp.         245.       Mountain Yellow Warbler - Iduna similis       17-02       c 8       (one seen well) Mgahinga Gorilla NP.         246.       Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris       16-02       2       (one seen well) Mgahinga Gorilla NP.         246.       Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris and only Mungenyi, along the Kabala-Mbarara road.       It took a bit of a struggle to see this local speciality at a <u>papyrus semp</u> on our way to Mgahinga NP.         247.       Fan-tailed Grassbird - Catriscus brevirostris alexinae       21-02       1       (in display) Queen Elizabeth NP.         248.       Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus       17-02       2       4         15-02       1-2       (heard only) Mabamba Swamp.       16-02       2         15-02       1-2       (heard only) Mabamba Swamp.       16-02       1       1         16-02       1-2       (heard only) Mabamba		16-02	c 5	Echuya Forest Reserve.
<ul> <li>243. Sedge Warbler - Acrocephalus schoenobaenus <ul> <li>15-02</li> <li>3 (minimum) Mabamba Swamp.</li> </ul> </li> <li>244. African Reed Warbler - Acrocephalus baeticatus (innamomeus <ul> <li>15-02</li> <li>3 (one seen well) Mabamba Swamp.</li> </ul> </li> <li>245. Mountain Yellow Warbler - Iduna similis <ul> <li>17-02</li> <li>c 8 (one seen well) Mgahinga Gorilla NP.</li> </ul> </li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris <ul> <li>16-02</li> <li>2 (one seen well) Mgahinga Gorilla NP.</li> </ul> </li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris <ul> <li>16-02</li> <li>2 (one seen, one heard only) Mungenyi, along the Kabala-Mbarara road.</li> <li>1t took a bit of a struggle to see this local speciality at a papyrus swamp on our way to Mgahinga NP.</li> </ul> </li> <li>247. Fan-talled Grassbird - Catriscus brevirostris alexinae <ul> <li>21-02</li> <li>1 (in display) Queen Elizabeth NP.</li> </ul> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ul> <li>17-02</li> <li>3-4 (one seen well) Mgahinga Gorilla NP.</li> <li>18-02</li> <li>2 Rushaga Sector, Bwindi Impentable Forest.</li> </ul> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ul> <li>15-02</li> <li>12 (heard only) Mabamba Swamp.</li> <li>16-02</li> <li>2 (heard only) during boat trip at Lake Mburo.</li> <li>1-2 (heard only) In some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>1 (seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ul> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ul> <li>21-02</li> <li>1 (indiving boat trip at Lake Mburo NP; also on 16-02.</li> <li>21-02</li> <li>1 (burbi fibrione song) Savanna area of Lake Mburo NP; also on 16-02.</li> <li>21-02</li> <li>210</li> <li>210</li> <li>210</li> <li>210</li> <li>210</li> <li>211</li> <li>211</li> <li>211</li> <li>211</li> <li>212</li> <li>212</li> <li>213</li> <li>214</li> <li>214</li> <li>214</li> <li>214</li> <li>215</li> <li>21</li></ul></li></ul>		17-02	c 10	( <u>one photographed</u> ) Mgahinga Gorilla NP.
<ul> <li>15-02 3 (minimum) Mabamba Swamp.</li> <li>244. African Reed Warbler - Acrocephalus baeticatus cinnamomeus 15-02 3 (one seen well) Mabamba Swamp.</li> <li>245. Mountain Yellow Warbler - Iduna similis 17-02 c 8 (one seen well) Mabamba Gorilla NP.</li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris 16-02 2 (one seen, one heard only) Mungenyi, along the Kabala-Mbarara road. It took a bit of a struggle to see this local speciality at a papyrus swamp on our way to Mgahinga NP.</li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae 21-02 1 (indisplay) Queen Elizabeth NP.</li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus 17-02 3-4 (one seen well) Mgahinga Gorilla NP. 18-02 2 Rushaga Sector, Bwindi Impenetrable Forest.</li> <li>249. White-winged Swamp Warbler - Bradypterus cinnamomeus sump. 16-02 2 (neard only) Mabamba Swamp. 21-02 3 (neard only) Mabamba Swamp. 35-02 3 (Niding Cisticola - Cisticola woosnami woosnami 35-02 3 (Niding Cisticola - Cisticola woosnami woosnami 35-02 3 (Niding Cisticola - Cisticola murginatus nyansae 35-02 35 (Winding Cisticola - Cisticola murginatus nyansae 35-02 35 (Vinding Cisticola - Cisticola murginatus nyansae 35-02 35 (Vinding Cisticola - Cisticola murginatus nyans</li></ul>		20-02	1	Buhoma Community Trail, Buhoma.
<ul> <li>15-02 3 (minimum) Mabamba Swamp.</li> <li>244. African Reed Warbler - Acrocephalus baeticatus cinnamomeus 15-02 3 (one seen well) Mabamba Swamp.</li> <li>245. Mountain Yellow Warbler - Iduna similis 17-02 c 8 (one seen well) Mabamba Gorilla NP.</li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris 16-02 2 (one seen, one heard only) Mungenyi, along the Kabala-Mbarara road. It took a bit of a struggle to see this local speciality at a papyrus swamp on our way to Mgahinga NP.</li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae 21-02 1 (indisplay) Queen Elizabeth NP.</li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus 17-02 3-4 (one seen well) Mgahinga Gorilla NP. 18-02 2 Rushaga Sector, Bwindi Impenetrable Forest.</li> <li>249. White-winged Swamp Warbler - Bradypterus cinnamomeus sump. 16-02 2 (neard only) Mabamba Swamp. 17-02 3 -4 (one seen well) Mgahinga Gorilla NP. 18-02 2 (neard only) Mabamba Swamp. 16-02 2 (neard only) Mabamba Swamp. 16-02 2 (neard only) Mabamba Swamp. 17-02 3 -4 (one seen well) Mgahinga Gorilla NP. 18-02 2 (neard only) Mabamba Swamp. 16-02 2 (neard only) Mabamba Swamp. 17-02 3 (neard only) Mabamba Swamp. 19-02 3 (neard only) Mabamba Swamp. 3 (usen well) Mungenyi, along the Kabala-Mbarara road.</li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia 21-02 3 (northern part of Queen Elizabeth NP.</li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami 15-02 3 (10 2 (usen Telizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola wuosnami woosnami 15-02 3 (Nidding Cisticola - Cisticola marginatus nyansae 15-02 3 (Mabamba Swamp. Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>254. Caruthers's Cisticola - Cisticola carruthersi 15-02 3 (neard on gen marginatus nyansae 15-02 3 (neard on gen marginatus nyansae 15-02 3 (neard on</li></ul>	242	Cadaa Marklan Assas		
<ul> <li>244. African Reed Warbler - Acrocephalus baeticatus cinnamomeus <ol> <li>15-02</li> <li>(one seen well) Mabamba Swamp.</li> </ol> </li> <li>245. Mountain Yellow Warbler - Iduna similis <ol> <li>7-02</li> <li>c.8</li> <li>(one seen well) Mgahinga Gorilla NP.</li> </ol> </li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris <ol> <li>16-02</li> <li>(one seen, one heard only) Mungenyi, along the Kabala-Mbarara road.</li> <li>It took a bit of a struggle to see this local specialty at a papyrus swamp on our way to Mgahinga NP.</li> </ol> </li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>7-02</li> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>7-02</li> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>15-02</li> <li>(heard only) during boart trip at Lake Mburo.</li> <li>(a feard only) Mangenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>240. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>(seen well) Mungenyi, along the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola a marginatus nyansae <ol> <li>Soumon, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola arruthersi <ol> <li>(and shatarab Swamp, Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Caruthers's Cisticola - Cisticola carruthersi <ol> <li>(een well) Bapyrus swamp before Kazinga Channel, Queen Elizabeth NP.<td>243.</td><td>-</td><td>-</td><td></td></li></ol></li></ul>	243.	-	-	
<ul> <li>15-02 3 (one seen well) Mabamba Swamp.</li> <li>245. Mountain Yellow Warbler - Iduna similis 17-02 c 8 (one seen well) Mgahinga Gorilla NP.</li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris 16-02 2 0 (one seen, one heard only) Mungenyi, along the Kabala-Mbarara road. It took a bit of a struggle to see this local specialty at a papyrus swamp on our way to Mgahinga NP.</li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae 21-02 1 (in display) Queen Elizabeth NP.</li> <li>248. Chnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus 17-02 3 4 (one seen well) Mgahinga Gorilla NP. 18-02 2 4 (heard only) Mabamba Swamp. 16-02 2 4 (heard only) Mabamba Swamp. 2 5 249. White-winged Swamp Warbler - Bradypterus carpalis 15-02 2 5 240 24 24 24 24 24 24 24 24 24 24 24 24 24</li></ul>		15-02	3	(minimum) Mabamba Swamp.
<ul> <li>245. Mountain Yellow Warbler - Iduna similis <ol> <li>7-02</li> <li>c.8</li> <li>(one seen well) Mgahinga Gorilla NP.</li> </ol> </li> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris <ol> <li>16-02</li> <li>(one seen, one heard only) Mungenyi, along the Kabala-Mbarara road.</li> <li>It took a bit of a struggle to see this local specialty at a papyrus swamp on our way to Mgahinga NP.</li> </ol> </li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>(beard only) Mabamba Swamp.</li> <li>(c) 2</li> <li>(heard only) Mabamba Swamp.</li> <li>(c) 2</li> <li>(heard only) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola woosnami woosnami <ol> <li>(seen well) Mungenyi, along the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola tubbi chubbi <ul> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ul> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>15-02</li> <li>Munding Cisticola - Cisticola marginatus nyansae</li> <li>15-02</li> <li>Munding Cisticola - Cisticola curuthersi</li> <li>(a-02</li> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>254. Caruthers's Cisticola - Cisticola curuthersi <ol> <li>(a-02</li> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> </ol></li></ul>	244.	African Reed Warbler	- Acroce	ephalus baeticatus cinnamomeus
<ul> <li>17-02 c.8 (one seen well) Mgahinga Gorilla NP.</li> <li>Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris 16-02 2 0 (one seen, one heard only) Mungenyi, along the Kabala-Mbarara road. It took a bit of a struggle to see this local speciality at a <u>papyrus swamp</u> on our way to Mgahinga NP.</li> <li>Fan-tailed Grassbird - Catriscus brevirostris alexinae 21-02 1 (in display) Queen Elizabeth NP.</li> <li>Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus 17-02 3-4 (one seen well) Mgahinga Gorilla NP. 18-02 2 Rushaga Sector, Bwindi Impenetrable Forest.</li> <li>White-winged Swamp Warbler - Bradypterus carpalis 15-02 1-2 (heard only) Mabamba Swamp. 16-02 2 (heard only) Mungenyi, along the Kabala-Mbarara road.</li> <li>Red-faced Cisticola - Cisticola erythrops sylvia 21-02 c 10 (ueen Elizabeth NP.</li> <li>Red-faced Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Vihub - Winding Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Vihub - Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Vihub - Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>Winding Cisticola - Cisticola warginatus nyansae 21-02 c 13 Mabamba Swamp. 21-02 c 14 Mabamba Swamp.</li> <li>Soumon, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>Mabamba Swamp. Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>Caruthers's Cisticola - Cisticola curuthersi 16-02 c 1 (one singing and seen) Mungenyi, along the Kabala-Mbarara road. 21-02 1 (seen well) <u>apyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.</li> </ul>		15-02	3	(one seen well) Mabamba Swamp.
<ul> <li>17-02 c.8 (one seen well) Mgahinga Gorilla NP.</li> <li>Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris 16-02 2 0 (one seen, one heard only) Mungenyi, along the Kabala-Mbarara road. It took a bit of a struggle to see this local speciality at a <u>papyrus swamp</u> on our way to Mgahinga NP.</li> <li>Fan-tailed Grassbird - Catriscus brevirostris alexinae 21-02 1 (in display) Queen Elizabeth NP.</li> <li>Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus 17-02 3-4 (one seen well) Mgahinga Gorilla NP. 18-02 2 Rushaga Sector, Bwindi Impenetrable Forest.</li> <li>White-winged Swamp Warbler - Bradypterus carpalis 15-02 1-2 (heard only) Mabamba Swamp. 16-02 2 (heard only) Mungenyi, along the Kabala-Mbarara road.</li> <li>Red-faced Cisticola - Cisticola erythrops sylvia 21-02 c 10 (ueen Elizabeth NP.</li> <li>Red-faced Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Vihub - Winding Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Vihub - Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Vihub - Cisticola - Cisticola woosnami 15-02 c 10 (ueen Elizabeth NP.</li> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>Winding Cisticola - Cisticola warginatus nyansae 21-02 c 13 Mabamba Swamp. 21-02 c 14 Mabamba Swamp.</li> <li>Soumon, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>Mabamba Swamp. Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>Caruthers's Cisticola - Cisticola curuthersi 16-02 c 1 (one singing and seen) Mungenyi, along the Kabala-Mbarara road. 21-02 1 (seen well) <u>apyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.</li> </ul>				
<ul> <li>246. Papyrus Yellow Warbler - Calamonastides gracilirostris gracilirostris <ol> <li>(no eseen, one heard only) Mungenyi, along the Kabala-Mbarara road.</li> <li>(took a bit of a struggle to see this local specialty at a <u>papyrus swamp</u> on our way to Mgahinga NP.</li> </ol> </li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus canpalis <ol> <li>(one seen well) Mgahinga Gorilla NP.</li> <li>(and only) during boat trip at Lake Mburo.</li> <li>(heard only) Mabamba Swamp.</li> <li>(and construction of the construction construction in the construction</li></ol></li></ul>	245.	Mountain Yellow War	bler - Id	
<ul> <li>16-02 <ol> <li>(one seen, one heard only) Mungenyi, along the Kabala-Mbarara road. It took a bit of a struggle to see this local specialty at a papyrus swamp on our way to Mgahinga NP.</li> </ol> </li> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>(beard only) Mabamba Swamp.</li> <li>(col 2 (heard only) Mabamba Swamp.</li> <li>(beard only) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola woosnami <ol> <li>(seen well) morthern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola kouosnami woosnami</li> <li>(Socomon, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>(a cort thery is cong and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola caruthersi <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> </ul>		17-02	c 8	(one seen well) Mgahinga Gorilla NP.
It took a bit of a struggle to see this local specialty at a papyrus swamp on our way to Mgahinga NP.         247.       Fan-tailed Grassbird - Catriscus brevirostris alexinae         21-02       1       (in display) Queen Elizabeth NP.         248.       Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus         17-02       3-4       (one seen well) Mgahinga Gorilla NP.         18-02       2       Rushaga Sector, Bwindi Impenetrable Forest.         249.       White-winged Swamp Warbler - Bradypterus carpalis       15-02       1-2         16-02       2       (heard only) Mabamba Swamp.       16-02       2         16-02       2       (heard only) Mabamba Swamp.       1       (seen well) Mungenyi, along the Kabala-Mbarara road.         250.       Red-faced Cisticola - Cisticola erythrops sylvia       1       (seen well) Mungenyi, along the Kabala-Mbarara road.         251.       Trilling Cisticola - Cisticola bubbi chubbi       Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.         252.       Chubb's Cisticola - Cisticola marginatus nyansae       15-02       c 15       Mabamba Swamp.         253.       Winding Cisticola - Cisticola marginatus nyansae       15-02       c 15       Mabamba Swamp.         254.       Caruthers's Cisticola - Cisticola carruthersi <t< td=""><td>246.</td><td>Papyrus Yellow Warbl</td><td><b>er</b> - Cala</td><td>amonastides gracilirostris gracilirostris</td></t<>	246.	Papyrus Yellow Warbl	<b>er</b> - Cala	amonastides gracilirostris gracilirostris
<ul> <li>247. Fan-tailed Grassbird - Catriscus brevirostris alexinae</li> <li>21-02 1 (in display) Queen Elizabeth NP.</li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus</li> <li>17-02 3-4 (one seen well) Mgahinga Gorilla NP.</li> <li>18-02 2 Rushaga Sector, Bwindi Impenetrable Forest.</li> <li>249. White-winged Swamp Warbler - Bradypterus capalis</li> <li>15-02 1-2 (heard only) Mabamba Swamp.</li> <li>16-02 2 (heard only) Mabamba Swamp.</li> <li>16-02 1 (heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>1 (seen well) Mungenyi, along the Kabala-Mbarara road.</li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia</li> <li>21-02 1 northern part of Queen Elizabeth NP.</li> <li>251. Trilling Cisticola - Cisticola woosnami</li> <li>15-02 2 10 Queen Elizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola achubbi chubbi</li> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>253. Winding Cisticola - Cisticola marginatus nyansae</li> <li>15-02 2 15 Mabamba Swamp. Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi</li> <li>16-02 1 (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ul>		16-02	2	(one seen, one heard only) Mungenyi, along the Kabala-Mbarara road.
<ul> <li>21-02 <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>17-02</li> <li>3-4</li> <li>(one seen well) Mgahinga Gorilla NP.</li> <li>18-02</li> <li>Rushaga Sector, Bwindi Impenetrable Forest.</li> </ol> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>15-02</li> <li>(heard only) Mabamba Swamp.</li> <li>16-02</li> <li>(heard only) during boat trip at Lake Mburo.</li> <li>1-2</li> <li>(heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>contherin part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami</li> <li>15-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi <ol> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ol> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ul>		It took a bit of a strugg	le to se	e this local specialty at a papyrus swamp on our way to Mgahinga NP.
<ul> <li>21-02 <ol> <li>(in display) Queen Elizabeth NP.</li> </ol> </li> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>17-02</li> <li>3-4</li> <li>(one seen well) Mgahinga Gorilla NP.</li> <li>18-02</li> <li>Rushaga Sector, Bwindi Impenetrable Forest.</li> </ol> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>15-02</li> <li>(heard only) Mabamba Swamp.</li> <li>16-02</li> <li>(heard only) during boat trip at Lake Mburo.</li> <li>1-2</li> <li>(heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>contherin part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami</li> <li>15-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi <ol> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ol> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ul>				
<ul> <li>248. Cinnamon Bracken Warbler - Bradypterus cinnamomeus cinnamomeus <ol> <li>17-02</li> <li>3-4 (one seen well) Mgahinga Gorilla NP.</li> <li>18-02</li> <li>Rushaga Sector, Bwindi Impenetrable Forest.</li> </ol> </li> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>15-02</li> <li>(heard only) Mabamba Swamp.</li> <li>16-02</li> <li>(heard only) during boat trip at Lake Mburo.</li> <li>1-2 (heard only) during boat trip at Lake Mburo.</li> <li>1-2 (heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>cisticola - Cisticola erythrops sylvia</li> <li>cisticola - Cisticola woosnami woosnami</li> <li>15-02</li> <li>northern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola koosnami woosnami</li> <li>15-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi <ol> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>f-02</li> <li>f-02</li> <li>Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ul>	247.	Fan-tailed Grassbird -	Catriscu	is brevirostris alexinae
<ul> <li>17-02</li> <li>3-4 (one seen well) Mgahinga Gorilla NP.</li> <li>18-02</li> <li>2 Rushaga Sector, Bwindi Impenetrable Forest.</li> </ul> 249. White-winged Swamp Warbler - Bradypterus carpalis <ul> <li>15-02</li> <li>1-2 (heard only) Mabamba Swamp.</li> <li>16-02</li> <li>2 (heard only) during boat trip at Lake Mburo.</li> <li>1-2 (heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>1 (seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ul> 250. Red-faced Cisticola - Cisticola erythrops sylvia <ul> <li>21-02</li> <li>1 northern part of Queen Elizabeth NP.</li> </ul> 251. Trilling Cisticola - Cisticola woosnami <ul> <li>15-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> </ul> 252. Chubb's Cisticola - Cisticola chubbi chubbi <ul> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ul> 253. Winding Cisticola - Cisticola marginatus nyansae <ul> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>25-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>25-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi</li> <li>16-02</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ul>		21-02	1	( <u>in display</u> ) Queen Elizabeth NP.
<ul> <li>17-02</li> <li>3-4 (one seen well) Mgahinga Gorilla NP.</li> <li>18-02</li> <li>2 Rushaga Sector, Bwindi Impenetrable Forest.</li> </ul> 249. White-winged Swamp Warbler - Bradypterus carpalis <ul> <li>15-02</li> <li>1-2 (heard only) Mabamba Swamp.</li> <li>16-02</li> <li>2 (heard only) during boat trip at Lake Mburo.</li> <li>1-2 (heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>1 (seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ul> 250. Red-faced Cisticola - Cisticola erythrops sylvia <ul> <li>21-02</li> <li>1 northern part of Queen Elizabeth NP.</li> </ul> 251. Trilling Cisticola - Cisticola woosnami <ul> <li>15-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> </ul> 252. Chubb's Cisticola - Cisticola chubbi chubbi <ul> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ul> 253. Winding Cisticola - Cisticola marginatus nyansae <ul> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>25-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>25-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi</li> <li>16-02</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ul>				
18-02       2       Rushaga Sector, Bwindi Impenetrable Forest.         249.       White-winged Swamp Warbler - Bradypterus carpalis         15-02       1-2       (heard only) Mabamba Swamp.         16-02       2       (heard only) during boat trip at Lake Mburo.         1-2       (heard only) in some papyrus swamp between Lake Mburo and Mungenyi.       1         250.       Red-faced Cisticola - Cisticola erythrops sylvia	248.			
<ul> <li>249. White-winged Swamp Warbler - Bradypterus carpalis <ol> <li>15-02</li> <li>1-2</li> <li>(heard only) Mabamba Swamp.</li> <li>16-02</li> <li>(heard only) during boat trip at Lake Mburo.</li> <li>1-2</li> <li>(heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ul> <li>21-02</li> <li>northern part of Queen Elizabeth NP.</li> </ul> </li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami <ul> <li>15-02</li> <li>c 10</li> <li>(with telephone song) savanna area of Lake Mburo NP; also on 16-02.</li> <li>21-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> </ul> </li> <li>252. Chubb's Cisticola - Cisticola hubbi chubbi <ul> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ul> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ul> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ul> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ul> <li>16-02</li> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarar road.</li> <li>21-02</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ul> </li> </ul>		-	-	
<ul> <li>15-02 <ol> <li>1-2 (heard only) Mabamba Swamp.</li> <li>16-02 <ol> <li>(heard only) during boat trip at Lake Mburo.</li> <li>1-2 (heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>orthern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami <ol> <li>5-02</li> <li>c 10</li> <li>(with telephone song) savanna area of Lake Mburo NP; also on 16-02.</li> <li>21-02</li> <li>c 10</li> <li>Queen Elizabeth NP.</li> </ol> </li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi <ol> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>of 15-02</li> <li>Mabamba Swamp.</li> <li>tasy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ol></li></ul>		18-02	2	Rushaga Sector, Bwindi Impenetrable Forest.
<ul> <li>16-02 <ol> <li>(heard only) during boat trip at Lake Mburo.</li> <li>(heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>northern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami <ol> <li>northern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami <ol> <li>0.0000 Queen Elizabeth NP.</li> </ol> </li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi <ol> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>0.15-02</li> <li>Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ul>	249.	White-winged Swamp	Warble	er - Bradypterus carpalis
<ul> <li>16-02 <ol> <li>(heard only) during boat trip at Lake Mburo.</li> <li>(heard only) in some papyrus swamp between Lake Mburo and Mungenyi.</li> <li>(seen well) Mungenyi, along the Kabala-Mbarara road.</li> </ol> </li> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia <ol> <li>northern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami <ol> <li>northern part of Queen Elizabeth NP.</li> </ol> </li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami <ol> <li>0.0000 Queen Elizabeth NP.</li> </ol> </li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi <ol> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> </ol> </li> <li>253. Winding Cisticola - Cisticola marginatus nyansae <ol> <li>0.15-02</li> <li>Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>254. Carruthers's Cisticola - Cisticola carruthersi <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ul>		15-02	1-2	(heard only) Mabamba Swamp.
1       (seen well) Mungenyi, along the Kabala-Mbarara road.         250.       Red-faced Cisticola - Cisticola erythrops sylvia         21-02       1       northern part of Queen Elizabeth NP.         251.       Trilling Cisticola - Cisticola woosnami woosnami         15-02       c 10       (with telephone song) savanna area of Lake Mburo NP; also on 16-02.         21-02       c 10       Queen Elizabeth NP.         252.       Chubb's Cisticola - Cisticola chubbi chubbi       Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.         253.       Winding Cisticola - Cisticola marginatus nyansae       15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.       254.       Carruthers's Cisticola - Cisticola carruthersi         16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.       21-02         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.		16-02	2	
<ul> <li>250. Red-faced Cisticola - Cisticola erythrops sylvia 21-02 1 northern part of Queen Elizabeth NP.</li> <li>251. Trilling Cisticola - Cisticola woosnami woosnami 15-02 c 10 (with telephone song) <u>savanna area</u> of Lake Mburo NP; also on 16-02. 21-02 c 10 Queen Elizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>253. Winding Cisticola - Cisticola marginatus nyansae 15-02 c 15 Mabamba Swamp. Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi 16-02 1 (one singing and seen) <u>Mungenyi</u>, along the Kabala-Mbarara road. 21-02 1 (seen well) <u>papyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.</li> </ul>			1-2	(heard only) in some papyrus swamp between Lake Mburo and Mungenyi.
21-02       1       northern part of Queen Elizabeth NP.         251.       Trilling Cisticola - Cisticola woosnami woosnami         15-02       c 10       (with telephone song) savanna area of Lake Mburo NP; also on 16-02.         21-02       c 10       Queen Elizabeth NP.         252.       Chubb's Cisticola - Cisticola chubbi chubbi       Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.         253.       Winding Cisticola - Cisticola marginatus nyansae       15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.       254.       Carruthers's Cisticola - Cisticola carruthersi         16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.       21-02         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.			1	(seen well) Mungenyi, along the Kabala-Mbarara road.
21-02       1       northern part of Queen Elizabeth NP.         251.       Trilling Cisticola - Cisticola woosnami woosnami         15-02       c 10       (with telephone song) savanna area of Lake Mburo NP; also on 16-02.         21-02       c 10       Queen Elizabeth NP.         252.       Chubb's Cisticola - Cisticola chubbi chubbi       Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.         253.       Winding Cisticola - Cisticola marginatus nyansae       15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.       254.       Carruthers's Cisticola - Cisticola carruthersi         16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.       21-02         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.	250.	Red-faced Cisticola - C	isticola	ervthrops sylvia
<ul> <li>251. Trilling Cisticola - Cisticola woosnami woosnami</li> <li>15-02 c 10 (with telephone song) <u>savanna area</u> of Lake Mburo NP; also on 16-02.</li> <li>21-02 c 10 Queen Elizabeth NP.</li> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi</li> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>253. Winding Cisticola - Cisticola marginatus nyansae</li> <li>15-02 c 15 Mabamba Swamp.</li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi</li> <li>16-02 1 (one singing and seen) Mungenyi, along the Kabala-Mbarara road.</li> <li>21-02 1 (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ul>				
15-02       c 10       (with telephone song) savanna area of Lake Mburo NP; also on 16-02.         21-02       c 10       Queen Elizabeth NP.         252.       Chubb's Cisticola - Cisticola chubbi chubbi         Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.         253.       Winding Cisticola - Cisticola marginatus nyansae         15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.       254.         Carruthers's Cisticola - Cisticola carruthersi       16-02       1         16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.				
21-02       c 10       Queen Elizabeth NP.         252.       Chubb's Cisticola - Cisticola chubbi chubbi Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.         253.       Winding Cisticola - Cisticola marginatus nyansae         15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.       254.         Carruthers's Cisticola - Cisticola carruthersi       16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.	251.	Trilling Cisticola - Cistic	cola wo	osnami woosnami
<ul> <li>252. Chubb's Cisticola - Cisticola chubbi chubbi Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>253. Winding Cisticola - Cisticola marginatus nyansae 15-02 c 15 <u>Mabamba Swamp</u>. Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi 16-02 1 (one singing and seen) <u>Mungenyi</u>, along the Kabala-Mbarara road. 21-02 1 (seen well) <u>papyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.</li> </ul>		15-02	c 10	(with telephone song) <u>savanna area</u> of Lake Mburo NP; also on 16-02.
<ul> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>Winding Cisticola - Cisticola marginatus nyansae         <ol> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.             </li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>Carruthers's Cisticola - Cisticola carruthersi         <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.             <ol> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ol></li></ul>		21-02	c 10	Queen Elizabeth NP.
<ul> <li>Common, heard or seen daily with about 5-10 birds a day in the Rushaga Sector, Ruhija and Buhoma, Bwindi Impenetrable Forest.</li> <li>Winding Cisticola - Cisticola marginatus nyansae         <ol> <li>15-02</li> <li>c 15</li> <li>Mabamba Swamp.             </li> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> </ol> </li> <li>Carruthers's Cisticola - Cisticola carruthersi         <ol> <li>(one singing and seen) Mungenyi, along the Kabala-Mbarara road.             <ol> <li>(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.</li> </ol> </li> </ol></li></ul>	253	Chubble Cisticala Cist	icola ch	ubbi chubbi
Impenetrable Forest.         253.       Winding Cisticola - Cisticola marginatus nyansae         15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.         254.       Carruthers's Cisticola - Cisticola carruthersi         16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.	252.			
15-02       c 15       Mabamba Swamp.         Easy to find by its song and their preference to sing in a top of a papyrus.         254.       Carruthers's Cisticola - Cisticola carruthersi         16-02       1       (one singing and seen) Mungenyi, along the Kabala-Mbarara road.         21-02       1       (seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.			en uany	with about 5-10 birds a day in the Rushaga Sector, Ruhija and Burionia, Bwirdi
<ul> <li>Easy to find by its song and their preference to sing in a top of a papyrus.</li> <li>254. Carruthers's Cisticola - Cisticola carruthersi</li> <li>16-02 1 (one singing and seen) <u>Mungenyi</u>, along the Kabala-Mbarara road.</li> <li>21-02 1 (seen well) <u>papyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.</li> </ul>	253.	Winding Cisticola - Cis	ticola m	arginatus nyansae
<ul> <li>254. Carruthers's Cisticola - Cisticola carruthersi</li> <li>16-02</li> <li>1 (one singing and seen) <u>Mungenyi</u>, along the Kabala-Mbarara road.</li> <li>21-02</li> <li>1 (seen well) <u>papyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.</li> </ul>		15-02	c 15	Mabamba Swamp.
16-021(one singing and seen) Mungenyi, along the Kabala-Mbarara road.21-021(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.		Easy to find by its song	g and th	eir preference to sing in a top of a papyrus.
16-021(one singing and seen) Mungenyi, along the Kabala-Mbarara road.21-021(seen well) papyrus swamp before Kazinga Channel, Queen Elizabeth NP.	251	Carruthers's Cisticala	. Cistico	la carruthersi
21-02 1 (seen well) <u>papyrus swamp</u> before Kazinga Channel, Queen Elizabeth NP.	204.			
			_	

<b>Croaking Cistic</b>	<b>ola</b> - Cisticola r	natalensis strangei
15-02	1	(seen) along the road to the Mabamba Swamp.
21-02	1	Queen Elizabeth NP.
Zitting Cisticola	a - Cisticola jun	cidis uropygialis
21-02	1	Queen Elizabeth NP.
Tawny-flanked	<b>Prinia</b> - Prinia	subflava melanorhyncha
22-02	c 4	(one seen) on the <u>grounds</u> of Kibale Forest Camp.
Black-faced Pri	<b>nia</b> - Prinia me	lanops obscura
19-02	2	along the road in Ruhija, Bwindi Impenetrable Forest.
	c 3	(heard only) The Neck, Bwindi Impenetrable Forest.
White-chinned	<b>Prinia</b> - Schist	olais leucopogon reichenowi
19-02	c 5	along the road in Ruhija, Bwindi Impenetrable Forest.
	c 5	( <u>one photographed</u> ) The Neck, Bwindi Impenetrable Forest.
20-02	2-3	Buhoma.
RUWENZORI A	PALIS - Oreola	is ruwenzorii
17-02	4	(well seen) at the start of the Sabinyo Gorge, Mgahinga Gorilla NP.
Buff-bellied Wa	<b>arbler</b> - Phyllol	ais pulchella
16-02	1	Lakeside Track, Lake Mburo NP.
MOUNTAIN M	ASKED APALIS	- Apalis personata personata
17-02	c 8	( <u>2-3 well seen</u> ) Mgahinga Gorilla NP.
18-02	c 6	Rushaga Sector, Bwindi Impenetrable Forest.
Black-throated	Apalis - Apalis	s jacksoni jacksoni
19-02	1	at the start of the Mubwindi Swamp trail, Bwindi Impenetrable Forest.
	2	(nest building) The Neck, Bwindi Impenetrable Forest.
20-02	1	along the Buhoma Community Trail, Buhoma.
Chestnut-throa	ated Apalis - A	oalis porphyrolaema
17-02	c 5	( <u>1 well seen</u> ) Mgahinga Gorilla NP.
18-02	2-3	Rushaga Sector, Bwindi Impenetrable Forest.
19-02	c 3	Ruhija, Bwindi Impenetrable Forest.
Buff-throated	<b>Apalis</b> - Apalis	rufogularis kigezi
18-02	1	(heard only) Gorilla trek meeting point, Rushaga, Bwindi Impenetrable Forest.
20-02	1	along the Buhoma Community Trail, Buhoma.
Grey Apalis - A	palis cinerea ci	nerea
		(pair) at the start of the Buhoma Community Trail, Buhoma.
	15-02 21-02 <b>Zitting Cisticola</b> 21-02 <b>Tawny-flanked</b> 22-02 <b>Black-faced Pri</b> 19-02 <b>White-chinned</b> 19-02 <b>White-chinned</b> 19-02 <b>White-chinned</b> 19-02 <b>White-chinned</b> 19-02 <b>White-chinned</b> 19-02 <b>Black-faced Pri</b> 19-02 <b>White-chinned</b> 19-02 <b>Black-throated</b> 17-02 18-02 <b>Chestnut-throa</b> 17-02 18-02 <b>Black-throated</b> 19-02 <b>Chestnut-throa</b> 19-02 <b>Chestnut-throa</b> 19-02	15-02       1         21-02       1         Zitting Cisticola - Cisticola Jun         21-02       1         Tawny-flanked Prinia - Prinia         22-02       c 4         Black-faced Prinia - Prinia         19-02       2         c 3         White-chinned Prinia - Schiet         19-02       c 5         20-02       2-3         RUWENZORI APALIS - Oreola         17-02       c 8         18-02       c 8         17-02       c 8         18-02       c 1         20-02       1         17-02       c 8         19-02       1         20-02       1         17-02       c 8         18-02       1         20-02       1         17-02       c 5         18-02       2         19-02       2         17-02       c 5         18-02       2         19-02       2         2       2

Ø

Heard at Mabamba Swamp with poor views on 15-02, seen at Lake Mburo with nice views of a bird at the water's edge on 16-02, heard at Buhoma on 20-02 and Kibale on 22-02, seen well at the Flufftail site on 21-02.



#### 268. Grey-backed Camaroptera - Camaroptera brevicaudata aschani

Our first bird in Uganda, chasing insects at the garden light of the Papyrus Inn, Entebbe. Several heard throughout the trip in scrubs but not much attention was paid after the initial bird.

269.	Olive-green Cam	aroptera - Ca	imaroptera chloronota toroensis
	20-02	5	(2 seen, 3 heard) along the Buhoma Community Trail, Buhoma.
270.	Black-faced Rufo	ous Warbler -	Bathmocercus rufus vulpinus
	19-02	2	(pair well seen) The Neck, Bwindi Impenetrable Forest.
	20-02	1	(female) along the Buhoma Community Trail, Buhoma.
	The female on 20	0-02 was not	pleased with the presence of the Neumann's Warbler. Stunning bird!
271.	Eurasian Blackca	<b>p</b> - Sylvia atri	capilla
	16-02	1	(male) Echuya Forest Reserve.
	18-02	1	during the Gorilla trek, Rushaga, Bwindi Impenetrable Forest.
272.	Ruwenzori Hill B	<b>abbler</b> - Sylvi	a atriceps
	17-02	c 8	(in three flocks) Mgahinga Gorilla NP.
	18-02	1	UWA Ranger station, Rushaga, Bwindi Impenetrable Forest.
273.	Green White-eye	e - Zosterops	stuhlmanni
	Common throug	hout. seen a	all sites. Some birds were notably green. At Mabamba birds belong to the race
	-		scotti and in Western Uganda to the race toroensis.
274.	Brown Illadopsis	- Illadopsis f	ulvescens ugandae
	23-02	1	(seen well) Kibale NP.
275.	Scaly-breasted II	ladopsis - Illa	dopsis albipectus
	20-02	2-3	(heard only) along the Buhoma Community Trail, Buhoma.
	22-02	1-2	(heard only) Kibale NP; also on 23-02.
276.	Brown Babbler -	Turdoides pl	ebejus cinerea
	15-02	1	Eagle's Nest, Lake Mburo NP.
	16-02	3	during lunch stop at Mbarara.
277.	Black-lored Babb	<b>oler</b> - Turdoid	es sharpei sharpei
	15-02	c 5	entrance of Lake Mburo NP.
	21-02	c 8	between Buhoma and the Ishasha sector of Queen Elizabeth NP.
278.	Wattled Starling	- Creatophor	ra cinerea
	16-02	7	(in flight) Lake Mburo NP
	21-02	2	southern part of Queen Elizabeth NP.
279.	Purple-headed S	<b>tarling</b> - Hylo	psar purpureiceps
	20-02	1	along the Buhoma Community Trail, Buhoma.
	22-03	1	Kibale NP.
280.	Greater Blue-ear	ed Starling -	Lamprotornis chalybaeus sycobius
	16-02	2	on the grounds of the Rwakobo Rock Lodge, Lake Mburo NP.



281.	Splendid Starling -	Lamproto	rnis splendidus splendidus
	Common along the 22-02 and one near		ne Mabamba Swamp, with even a flock of 20+ birds on 15-02. One at Kibale NP on on 23-02.
282.	Purple Starling - La	mprotorni	s purpureus amethystinus
	15-02	3	along the road to the Mabamba Swamp.
283.	Rüppell's Starling -	Lamproto	rnis purpuroptera purpuroptera
	The most common	starling ob	oserved from Entebbe (photographed) to Queen Elizabeth NP.
284.	Violet-backed Starl	ing - Cinny	yricinclus leucogaster leucogaster
	21-02	2	( <u>males</u> ) Queen Elizabeth NP.
285.	Slender-billed Starl	l <b>ing</b> - Onyc	hognathus tenuirostris theresae
	18-02 20-02	c 20 2	(most probably this species) Rushaga Sector, Bwindi Impenetrable Forest. (drying after rain) along the Buhoma Community Trail, Buhoma.
286.	Waller's Starling - (	Dnychogna	athus walleri elgonensis
	18-02	c 5	(most probably this species) Rushaga Sector, Bwindi Impenetrable Forest.
	19-02 20-02	c 5 2-3	Ruhija Community, Bwindi Impenetrable Forest. along the Buhoma Community Trail, Buhoma.
287.	Narrow-tailed Star	ling - Poec	optera lugubris
	20-02	2-3	(yellow eye!) along the Buhoma Community Trail, Buhoma.
288.	Sharpe's Starling - I	Poeoptera	sharpii
	18-02	1	at the start of the Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.
289.	Yellow-billed Oxpe	<b>cker</b> - Bup	hagus africanus langi
	15-02	1	(feeding on Zebra's) savanna area of Lake Mburo NP,
290.	Fraser's Rufous Thr	<b>ush</b> - Stizo	orhina fraseri vulpina
	20-02	1	(seen and photographed) Buhoma, Bwindi Impenetrable Forest.
291.	White-tailed Ant Tl	<b>hrush</b> - Ne	ocossyphus poensis
	20-02	1	(seen) past the Waterfall trail, Buhoma, Bwindi Impenetrable Forest.
292.	Red-tailed Ant Thru	<b>ush</b> - Neoc	ossyphus rufus gabunensis
	22-02	1	just behind the Visitor Center, Kibale NP.
	23-02	1	Kibale NP.
293.	Abyssinian Ground	Thrush - (	Geokichla piaggiae tanganjicae
	20-02	1	Buhoma, Bwindi Impenetrable Forest.
	was singing loudly,	but it was	just before the Water Fall trail, Buhoma, Bwindi Impenetrable Forest. ome local guides who phoned Nicolas and immediately we start running. The bird difficult to get it into view. Finally we saw it perched on a branch but it flew away, cond bird was seen at a short distance of less than five meters while foraging, then

as Kivu Ground Thrush.

singing until we left it after 15 min to go after a Bare-tailed Trogon. A stunning bird with a great song. Also known



### 294. African Thrush - Turdus pelios centralis/graueri

Several at most locations, e.g. one bird <u>photographed</u> between the Neck and Buhoma on 19-02 or one singing in banana plantations just outside Buhoma on 21-02.

295.	. Abyssinian Thrush - Turdus abyssinicus baraka				
	16-02	1	(feeding in the road side ditch) Echuya Forest Reserve.		
	17-02	1	(carrying food) Mgahinga Gorilla NP.		
296.	Brown-backed Scrub Rob	oin - (	Cercotrichas hartlaubi		
	16-02	4	(2 seen, others heard) savanna area of Lake Mburo NP.		
297.	Grey-throated Tit-Flycate	her -	Myioparus griseigularis griseigularis		
	19-02	2	at the start of the trail to the Mubwindi Swamp, Ruhija.		
298.	Grey Tit-Flycatcher - Myi	oparı	us plumbeus plumbeus		
	20-02	1	(eating a caterpillar) Buhoma, Bwindi Impenetrable Forest.		
299.	White-eyed Slaty Flycatc	her -	Melaenornis fischeri toruensis		
	First seen in Echuya Fore	st Re	serve on 16-02, then small numbers at the edge of forest at all locations in Bwindi		
	between 18-02 and 20-02	2.			
300.	Northern Black Flycatche	e <b>r</b> - M	lelaenornis edolioides lugubris		
	15-02	1	savanna area of Lake Mburo NP.		
	21-02	:5	Ishasha section of Queen Elizabeth NP.		
301.	Pale Flycatcher - Melaene	ornis			
	16-02	1	at the same location as the Buff-bellied Warbler, Lake Mburo NP.		
		_			
302.	Swamp Flycatcher - Muse				
	Seen at most papyrus swamp sites: Mabamba Swamp on 15-02, Lake Mburo on 16-02 and also on 16-02 at the				
	Papyrus Yellow Warbler r	iear i	Mungenyi, along the Kabala-Mbarara road.		
202	Cassin's Elucatohor Mus	cicon			
505.	Cassin's Flycatcher - Mus	-			
	19-02	2	( <u>pair in a stream</u> ) The Neck, Bwindi Impenetrable Forest.		
204			leady		
304.	Chapin's Flycatcher - Mus	scica			
	20-02	1	at the start of the trail, Buhoma, Bwindi Impenetrable Forest. Dured Bush-Shrike, we heard it clearly before we saw a flycatcher flying off.		
	while watching the Many	/-נטונ	bured Bush-Simike, we near it clearly before we saw a hycatcher hying on.		
305	African Dusky Flycatcher	- Mu	scicana adusta		
505.					
	Fairly common, recorded	atali	Bwindi sites and Kibale with many of them nesting. Unknown to which subspecies.		
306	Dusky-blue Flycatcher - N	Ausci	icana comitata comitata		
500.					
	19-02 20-02	1 2	The Neck, Bwindi Impenetrable Forest. Buhoma, Bwindi Impenetrable Forest.		
	20 02	-			
307.	RED-THROATED ALETHE	- Cha	maetylas poliophrys poliophrys		
	20-02	1	(seen well) Buhoma, Bwindi Impenetrable Forest.		
	20 02	-	(seen men, building, build imperiet usier forest.		



308.	Brown-chested Alethe - Chamaetylas poliocephala carruthersi			
	22-03	2-3	(heard only) Kibale NP; also on 23-02. Too much time was spent on the GB Pitta	
309.	White-bellied Robin-Cl	hat - Co	ssyphicula roberti rufescentior	
	20-02	1	(seen well) just before the Waterfall trail, Buhoma.	
	20 02	1	(heard only) along the Waterfall trail, Buhoma.	
310.	ARCHER'S GROUND RC	DBIN - C	Cossypha archeri archeri	
	17-02	c 6	(one seen well) Mgahinga Gorilla NP.	
	18-02	3	(heard only) during Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.	
311.	White-browed Robin-O	<b>Chat</b> - C	ossypha heuglini heuglini	
	15-02	2	(pair) in the garden of the Papyrus Lodge, Entebbe.	
	22-03	1	in the garden of the Kibale Forest Lodge.	
312.	312. Red-capped Robin-Chat - Cossypha natalensis intensa			
	16-02	1	savanna area Lake Mburo NP	
	22-03	2-3	(one seen well) Kibale NP	
313.	Snowy-crowned Robin	-Chat -	Cossypha niveicapilla melanonota	
	22-02	1	on the <u>grounds</u> of Kibale Forest Camp.	
314.	. White-starred Robin - Pogonocichla stellata ruwenzorii			
	17-02	c 5	( <u>one photographed</u> ) Mgahinga Gorilla NP.	
	19-02	1-2	Ruhija area.	
315.	5. Equatorial Akalat - Sheppardia aequatorialis aequatorialis			
	20-02	2	( <u>one seen</u> quite well) Buhoma, Bwindi Impenetrable Forest.	
316.	Whinchat - Saxicola rul	betra		
	21-02	3	(single birds) Queen Elizabeth NP.	
317.	African Stonechat - Sax	cicola to	orquatus axillaris	
A frequent road side bird, especially around Kisoro.			ecially around Kisoro.	
318.	18. Sooty Chat - Myrmecocichla nigra			
	15-02	2	along the road to Mabamba Swamp.	
		3-4	savanna area of Lake Mburo NP; also there on 16-02.	
	21-02	c 6	southern section of Queen Elizabeth NP.	
319.	Grey-headed Sunbird -	Deleor	nis axillaris	
	20-02	1	Buhoma, Bwindi Impenetrable Forest.	
320.	Little Green Sunbird - A	Anthrep	otes seimundi minor	
	19-02	c 10	The Neck, Bwindi Impenetrable Forest.	
	20-02	c 5	mainly in secondary forest of the Buhoma community Trail, Buhoma.	
321.	1. Grey-chinned Sunbird - Anthreptes tephrolaemus			
	18-02	1	UWA Ranger station, Rushaga, Bwindi Impenetrable Forest.	

	20-02	1	( <u>female</u> ) at the start of the Buhoma Trail, Buhoma.		
322.	2. Collared Sunbird - Hedydipna collaris garguensis				
	18-02	1	UWA Ranger station, Rushaga, Bwindi Impenetrable Forest.		
	20-02	c 5	Buhoma community Trail, Buhoma.		
	22-02	2-3	Visitor Center, Kibale NP.		
323.	Green-headed Sunl	<b>bird</b> - Cyan	omitra verticalis viridisplendens		
	19-02	1	checking out the mirror in the lobby of our hotel in Buhoma.		
	20-02	2-3	in flowers at the start of the Buhoma community Trail, Buhoma.		
324.	Blue-throated Brow	vn Sunbird	- Cyanomitra cyanolaema octaviae		
	19-02	1	(male) The Neck, Bwindi Impenetrable Forest.		
	20-02	3-4	in flowers at the start of the Buhoma community Trail, Buhoma.		
	22-02	2	(males) Kibale NP.		
325.	Olive Sunbird - Cya	nomitra ol	ivacea ragazzii		
	17-02	c 5	Mgahinga Gorilla NP.		
	19-02	1	The Neck, Bwindi Impenetrable Forest.		
	20-02	c 5	along Waterfall trail, Buhoma.		
326.	Green-throated Su	<b>nbird</b> - Cha	lcomitra rubescens rubescens		
	22-02	2	(pair, male photographed) Visitor Center, Kibale NP.		
	23-02	1	Visitor Center, Kibale NP.		
327.	Scarlet-chested Sunbird - Chalcomitra senegalensis lamperti				
	15-02	1	on or way to Mabamba Swamp.		
	16-02	1	at the <u>boat ramp</u> of Lake Mburo.		
328.	8. Bronzy Sunbird - Nectarinia kilimensis kilimensis				
	17-02	1			
	17-02	1	(female) car park of Mgahinga Gorilla NP.		
	19-02	с 3	(male) between Mgahinga Gorilla NP and Kisoro. between Ruhija and Buhoma, Bwindi Impenetrable Forest.		
	20-02	1	(male) in the village of Buhoma.		
	20-02	T			
329.	. Olive-bellied Sunbird - Cinnyris chloropygius orphogaster				
	22-02	2	(pair) Visitor Center, Kibale NP.		
	23-02	1	Visitor Center, Kibale NP.		
330.	Tiny Sunbird - Cinny	yris minullı	us		
	22-02	1	along the road to the Primate Lodge, Kibale NP.		
331.	RUWENZORI DOUB	LE-COLLA	RED SUNBIRD - Cinnyris stuhlmanni graueri		
	17-02	c 15	(several photographed) Mgahinga Gorilla NP.		
	Mgahinga Gorilla NP and the Ruwenzori Mountains are the only locations in Uganda to see this species.				
332.	Northern Double-co	ollared Su	<b>nbird</b> - Cinnyris reichenowi reichenowi		
	17-02	c 5	at the start of the trail in Mgahinga Gorilla NP.		
	19-02	1-2	Ruhija area.		
	20-02	с 5	at the start of the Buhoma community Trail, Buhoma.		

Ø

333	REGAL SUNBIRD - C	innvris re	gius regius		
555.					
	16-02	2	(pair, <u>male photographed</u> ) Echuya Forest Reserve.		
	17-02 19-02	c 10	Mgahinga Gorilla NP.		
	20-02	1-2 1	Ruhija area. at the start of the Buhoma community Trail, Buhoma.		
	20-02	T			
334.	Marico Sunbird - Ci	nnyris ma	riquensis suahelicus		
	15-02	1	(male) <u>savanna area</u> of Lake Mburo NP		
	16-02	2	(males) Lake Mburo NP.		
335.	Red-chested Sunbir	<b>d</b> - Cinnvr	is ervthrocercus		
	15-02	1	Mabamba Swamp.		
	16-02	2	(pair) Mungenyi, along the Kabala-Mbarara road.		
	10 02	2			
336.	Superb Sunbird - Ci	nnyris sup	perbus buvuma		
	16-02	1	(male) at the <u>Kaahwa Kanuzire Restaurant</u> , Biharwe, Mbarara-Masaka Road.		
	19-02	1	(female) Ruhija area.		
	20-02	1	(on a wire) Buhoma Village.		
337.	Variable Sunbird - C	Cinnyris ve	enustus igneiventris		
	17-02	c 10	Mgahinga Gorilla NP.		
	20-02	c 5	along the Buhoma Community Trail, Buhoma.		
338.	Copper Sunbird - Ci	nnyris cup	preus cupreus		
	19-02	2	( <u>pair building a nest</u> ) between Ruhija and Buhoma.		
339.	339. Northern Grey-headed Sparrow - Passer griseus ugandae				
	Common throughout the country.				
340.	House Sparrow - Pa				
	A few seen in some cities or villages; introduced.				
341.	341. Thick-billed Weaver - Amblyospiza albifrons melanota				
	15-02	1	( <u>female</u> ) during the drive to the Mabamba Swamp.		
	22-02	c 3	(males in a canopy flock), Kibale NP.		
342	342. Baglafecht Weaver - Ploceus baglafecht stuhlmanni				
012.	17-02		-		
	-	c 10	between Kisoro and Mgahinga Gorilla NP. at all locations at Bwindi between 18-02 and 21-02. Nesting at the Red-chested		
	Flufftail Swamp on 2		at an locations at bound between 18-02 and 21-02. Nesting at the Rea-chested		
242	Slandar hillod Man		nuc polzolni polzolni		
545.	Slender-billed Wear				
	15-02	3	(2 males, 1 female) Mabamba Swamp.		
	16-02	2-3	Papyrus Yellow Warbler site, Mungenyi, along the Kabala-Mbarara road.		
	21-02	c 20	Kazinga channel bridge, Queen Elizabeth NP.		
344.	Little Weaver - Ploc	eus luteo	lus kavirondensis		
-					

Birds	Birds observed in Uganda from 15 to 23 February 2020.				
345.	Spectacled Weaver	- Ploceus	ocularis crocatus		
	16-02	2	boat ramp, Lake Mburo NP.		
	21-02	c 10	(collecting nesting material) Red-chested Flufftail Swamp, Buhoma.		
	21 02	0 10			
346.	Black-necked Weav	<b>er</b> - Ploce	us nigricollis nigricollis		
	19-02	1	The Neck, Bwindi Impenetrable Forest.		
	20-02	1	at the start of the Buhoma Trail, Buhoma.		
347.	STRANGE WEAVER	- Ploceus	alienus		
	17-02	2	Mgahinga Gorilla NP.		
	One at an open area	i just befo	bre the former forest edge and one heard at the start of the Sabinyo Gorge.		
348.	Black-billed Weaver	- Ploceu	s melanogaster stephanophorus		
	18-02	1	(male) UWA Ranger station, Rushaga, Bwindi Impenetrable Forest.		
349.	Holub's Golden Wea	aver - Plo	ceus xanthops		
			at trip on 16-02, then several more roadside birds between 16-02 and 20-0	)2 nlus	
			ufftail marsh, Buhoma Village on 21-02.		
350.	Northern Brown-th	roated W	eaver - Ploceus castanops		
	15-02	c 5	Mabamba Swamp.		
	16-02	c 10	Lake Mburo NP.		
351.	Lesser Masked Wea	ver - Ploo	ceus intermedius intermedius		
	19-02	c 10	Buhoma Village.		
			C C C C C C C C C C C C C C C C C C C		
352.	Village Weaver - Plo	ceus cuc	ullatus bohndorffi		
	Abundant, major colonies at Mabamba Swamp, Buhoma Village and Kibale lodge grounds but seen at most				
	locations, except in true forest.				
353.	Vieillot's Black Wea	ver - Ploc	eus nigerrimus nigerrimus		
	Often nesting toget	her with V	/illage Weaver. Seen in colonies at the boat ramp of Mabamba Swamp, at Bu	uhoma	
	Village and in the lodge grounds of Kibale NP as well as several roadside colonies along the highways.				
354.	Weyns's Weaver - P	loceus w	eynsi		
	15-02	c 100	(several flocks of 30-50 birds) Mabamba Swamp.		
355.	Black-headed Weav	er - Ploce	eus melanocephalus fischeri		
	15-02	1	(male) Mabamba Swamp.		
	16-02	c 20	Papyrus Yellow Warbler site, Mungenyi, along the Kabala-Mbarara road.		
	21-02	c 10	between Queen Elizabeth NP and Kibale NP.		
356.	Golden-backed Wea	<b>aver</b> - Plo	ceus jacksoni		
	15-02	5	(2 males, 3 females) on the access road to Eagle's Nest in Lake Mburo NP.		
357.	Yellow-mantled We	aver - Plo	oceus tricolor interscapularis		
		_			

2 (pair nesting) <u>Visitor Center</u>, Kibale NP. 22-02

358.	Brown-capped Weaver - Ploceus insignis				
	18-02	1	(male) Gorilla trek, Rushaga Sector, Bwindi Impenetrable Forest.		
	19-02	2	(pair) The Neck, Bwindi Impenetrable Forest.		
	20-02	2	(pair) along the Buhoma Trail, Buhoma.		
359.	Red-headed Malimbe -	Malim	bus rubricollis rubricollis		
	20-02	2	(pair foraging on mossy branches) along the Buhoma Trail, Buhoma.		
360.	50. Southern Red Bishop - Euplectes orix				
	15-02	2	on our way to Lake Mburo NP.		
	21-02	1	Queen Elizabeth NP.		
361.	51. Yellow Bishop - Euplectes capensis crassirostris				
	18-02	3-4	Rushaga Sector, Bwindi Impenetrable Forest.		
362	Fan-tailed Widowhird	- Funlec	tes axillaris phoeniceus		
502.	15-02	c 25	(several in display) Mabamba Swamp.		
	13-02	025	(Several in display) Mabaniba Swainp.		
363.	Bronze Mannikin - Spe	rmestes	s cucullata cucullata		
	Commonly seen throug	ghout th	ne whole country.		
264	<b>Magpie Mannikin</b> - Spe	rmosto	s fringilloidos		
504.	21-02		-		
	21-02	1	Ishasha section, Queen Elizabeth NP.		
365.	5. Yellow-bellied Waxbill - Coccopygia quartinia kilimensis				
	21-02	3	(between Common Waxbills) Queen Elizabeth NP.		
366.	66. White-breasted Nigrita - Nigrita fusconotus fusconotus				
	19-02	1	The Neck, Bwindi Impenetrable Forest.		
	19 02	-			
367.	Grey-headed Nigrita - I	Nigrita (	canicapillus schistaceus		
	19-02	1	The Neck, Bwindi Impenetrable Forest.		
	22-02	3	Kibale NP.		
368.	Black-faced Waxbill - E	strilda e	erythronotos delamerei		
	16-02	c 5	(1 one seen, others heard) near the Rwakobo Rock Lodge, Lake Mburo NP.		
369.	Kandt's Waxbill - Estril	da kand	lti kandti		
	16-02	c 5	<u>Echuya Forest Reserve</u> .		
	17-02	c 10	(in two groups) <u>Mgahinga Gorilla NP</u> .		
370.	Common Waxbill - Estr	ilda ast	rild adesma		
	21-02	c 25	Queen Elizabeth NP.		
371	Crimson-runned Wast	nill - Fc+	rilda rhodopyga centralis		
J/1.	-	c 25	Queen Elizabeth NP.		
	21 02	C 2J			
372.	Red-cheeked Cordon-b	<b>leu</b> - Ui	raeginthus bengalus bengalus		
	15-02	1	(female) savanna area of Lake Mburo NP.		

373.	Red-headed Bluebill - Spermophaga ruficapilla ruficapilla			
	16-02	1	(immature) Mgahinga Gorilla NP.	
374.	Red-billed Firefinch - La	gonos	ticta senegala ruberrima	
	21-02	c 10	Queen Elizabeth NP.	
		c 5	Kibale Forest Lodge.	
375.	African Firefinch - Lagor	nostict	a rubricata haematocephala	
	16-02	2	savanna area, Lake Mburo NP.	
		2	boat ramp, Lake Mburo NP.	
376.	Village Indigobird - Vidu	ia cha	lybeate centralis	
	15-02	3-4	along the road to the Mabamba Swamp.	
	16-02	1	at the <u>Kaahwa Kanuzire Restaurant</u> , Biharwe, Mbarara-Masaka Road.	
	17-02	c 5	between Kisoro and Mgahinga Gorilla NP.	
377.	Pin-tailed Whydah - Vid	ua ma	croura	
	16-02	2	savanna area of Lake Mburo NP.	
	19-02	c 5	between Ruhija and Buhoma, Bwindi Impenetrable Forest.	
	21-02	1	in a swamp just outside Buhoma, Bwindi Impenetrable Forest.	
		: 10	Queen Elizabeth NP.	
378.	Western Yellow Wagtai	l - Mo	tacilla flava	
	-		Mburo NP and Queen Elizabeth NP. Both <i>flava</i> and <i>thunbergi</i> races were recorded.	
	rainy common, many c	Lance		
379.	. Cape Wagtail - Motacilla capensis wellsi			
	18-02	2	between Rushaga and the start of the Gorilla trek, Bwindi Impenetrable Forest.	
380.	). <b>Mountain Wagtail</b> - Motacilla clara torrentium			
	19-02	4	(family) in a river crossing the road at The Neck, Bwindi Impenetrable Forest.	
		·	(	
381.	. African Pied Wagtail - Motacilla aguimp vidua			
	Seen daily in small numbers, mostly near villages.			
382.	2. Yellow-throated Longclaw - Macronyx croceus croceus			
	Fairly common in fields near Mabamba Swamp, in the savanna area of Lake Mburo and in Queen Elizabeth NP.			
	rany common in news near maganina swamp, in the savarina area of Lake Mburo and in Queen Elizabeth NP.			
383.	Plain-backed Pipit - Ant	hus le	ucophrys zenkeri	
	15-02	1	along the road from the Mabamba Swamp.	
		1	in the savanna area of Lake Mburo NP.	
384.	Western Citril - Crithagr	a fron	talis	
	17-02	1	(male) past the waterfall of the Sabinyo Gorge, Mgahinga Gorilla NP.	
		2	just outside Kisoro.	
205		C. U		
385.	-		agra mozambica barbata	
	21-02	1	Queen Elizabeth NP.	

386. Brimstone Canary - Crithagra sulphurata sharpii				
	16-02	2	during lunch stop at Mbarara.	
207	Thick hilled Coodester	Crith		
387.	Thick-billed Seedeater	- Critin	agra burtoni tanganjicae	
	16-02	1	Echuya Forest Reserve.	
	17-02	2-3	Mgahinga Gorilla NP.	
	19-02	c 5	Ruhija Area, Bwindi Impenetrable Forest.	
	20-02	c 5	Buhoma, Bwindi Impenetrable Forest.	
388. Streaky Seedeater - Crithagra striolata graueri				
	19-02	1	(in a group of C striolata) between Ruhija and Buhoma.	
389.	389. Golden-breasted Bunting - Emberiza flaviventris kalaharica			
	15-02	1	c 2 km before the entrance of the Mabamba Swamp.	
	18-02	2	in pines in the Rushaga Sector, Bwindi Impenetrable Forest.	



Left: moving our way out of an overgrown channel; right: Lesser Jaçana habitat; 15 February 2020, Mabamba Swamp; © Jan van der Laan.



View from Eagle's Nest, 15 February 2020; © Arjan Brenkman; right: volcanoes at the border with Rwanda; from left to right: Muhavura, Gahinga and Sabinyo Volcano; 16 February 2020; © Jan van der Laan.



Left: Good forest from the road; 16 February 2020, Echuya Forest Reserve; right: Sabinyo Volcano, seen from the start of the Sabinyo Gorge trail; on the right bushes where Gorillas were seen by another group; 17 February 2020, Mgahinga Gorilla NP; © Arjan Brenkman.



Left: top of the Sabinyo Volcano; right: habitat in the Sabinyo Gorge, between the start of the gorge and the darker trees in the front is the place where Levi had seen the Shelley's Crimsonwing most; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Arjan, me, John R and Joseph, after the Gorilla Trekking, 18 February 2020, Rushaga Sector, Bwindi Impenetrable Forest NP.



Arjan inspecting a large tree; 23 February 2020, Kibale NP;  $\ensuremath{\mathbb{C}}$  Jan van der Laan.

# Mammals observed between 14 and 23 February 2020

#### 01. **Chimpanzee** - Pan troglodytes

Heard from a distance at Buhoma, about 10 individuals seen at Kibale during the tracking afternoon and the beta male came checking out our Pitta efforts the day after at the main entrance trail.

02. Eastern Lowland Gorilla - Gorilla gorilla graueri

The Silverback, two females, one of which was carrying a baby and an infant were seen on the Rushaga Gorilla trek. An amazing experience, the Silverback which is named Mucunguzi (the saviour) even at some point decided to climb a Mahogany tree like a true King kong.

03. Uganda Red Colobus - Piliocolobus tephrosceles A few were seen in Kibale NP.

## 04. Guereza Colobus - Colobus guereza

These thumb-less beauties were seen in numbers at Buhoma and Kibale. First noted on the drive from Ruhija to Buhoma.

- 05. Olive Baboon Papio anubis Abundant at Mburo NP and Kibale NP.
- 06. **Grey-cheecked Mangabey** Lophocebus albigena Common at Kibale NP.
- 07. Vervet Monkey Cercopithecus pygerythrush Several troops at Lake Mburo NP.
- L'Hoest's Monkey Cercopithecus hoesti
   Just one, which crossed the Buhoma trail at the very start.
- 09. **Golden Monkey** Cercopithecus kandti At least three troops heard, very shy but two Monkeys seen eventually at Mgahinga.
- Blue Monkey Cercopithecus stuhlmanni
   A troop with 5+ monkeys in the forest part of Queen Elizabeth NP.
- Red-tailed Monkey Cercopithecus ascanius
   First seen at the Neck, then common at Buhoma and Kibale.
- Galago Galago spec.
   Bushbabies were heard in early morning from our tent at Eagle's nest, Lake Mburo.
- Ruwenzori Shrew Ruwenzorisorex suncoides
   An all-black rodent crossed the trail at Buhoma and was probably this species.
- 14. **Alexander's Dwarf Squirrel** Paraxerus alexandri One at the Neck was thought to be this Squirrel.

0

- 15. **Red-legged Sun Squirrel** Heliosciurus mutabilis Several seen at Buhoma.
- 16. **Dwarf Mongoose** Helogale parvula Two in a termite hill at Lake Mburo.
- 17. White-tailed Mongoose Ichneumia albicauda One crossed the road at night just before Ruhija coming from Mgahinga.
- Banded Mongoose Mungos mungo Two at Queen Elizabeth NP.
- Forest Elephant Loxodonta cyclotis Traces at the trail to Mubwindi Swamp, Ruhija.
- 20. **Common Zebra** Equus quagga Common at Lake Mburo NP.
- 21. **Hippopotamus** Hippopotamus amphibius Common with several families at Lake Mburo. One in a pond at Queen Elizabeth NP.
- 22. **Warthog** Phacochoerus africana Very common at Lake Mburo NP.
- 23. African Buffalo Syncerus caffer Common at Lake Mburo NP and Queen Elizabeth NP.
- 24. **Bushbuck** Tragelaphus scriptus Several at Lake Mburo.
- 25. **Black-fronted Duiker** Cephalophus nigrifrons kivuensis Twice a single at Mgahinga and once briefly seen during the Gorilla trek.
- 26. Uganda Kob Kobus (kob) thomasi A few groups were seen at Queen Elizabeth NP.
- 27. Waterbuck Kobus ellipsiprymnus Very common at Lake Mburo NP.
- 28. Impala Aepyceros melampus Very common at Lake Mburo NP.
- 29. **Topi** Damaliscus lunatus Several at Lake Mburo.




Mucunguzi, the Silverback; 18 February 2020, Rushaga Sector, Bwindi Impenetrable Forest NP; © Arjan Brenkman (from video).



Mucunguzi, the Silverback and a female; 18 February 2020, Rushaga Sector, Bwindi Impenetrable Forest NP; © Arjan Brenkman.



Female Gorillas; 18 February 2020, Rushaga Sector, Bwindi Impenetrable Forest NP; © Arjan Brenkman.



Ģ

The Silverback had just climbed in a tree; 18 February 2020, Rushaga Sector, Bwindi Impenetrable Forest NP; © Arjan Brenkman.



Alpha male of the group Chimpanzees we visited; 22 February 2020, Kibale NP;  $\ensuremath{\mathbb{C}}$  Jan van der Laan.



Left: Topi Antilope; right: Common Zebra; 15 February 2020, Lake Mburo NP; © Jan van der Laan.



Left: Waterbuck; right: Warthog; 15 February 2020, Lake Mburo NP; C Jan van der Laan.



Left: Dwarf Mongoose, 15 February 2020; right: Hippopotamus; 16 February 2020, both in Lake Mburo NP; © Jan van der Laan.




Left: Golden Monkey; 17 February 2020, Mgahinga Gorilla NP; right: Guereza Colobus; 20 February 2020, Buhoma; © Jan van der Laan.



Left: Blue Monkey; right: Red-tailed Monkey; both on 21 February 2020, Queen Elizabeth NP; © Jan van der Laan.



Uganda Red Colobus; 21 February 2020, Kibale NP; © Jan van der Laan.



The alfa male of the Chimpanzee-group we visited. This was the moment he came out from the right, where my group went to the left offtrail. He sat there in front of me for five minutes at c five meters distance; 22 February 2020, Kibale NP; © Jan van der Laan.



Jackson's Chameleons; 17 February 2020, Mgahinga Gorilla NP; © Jan van der Laan.



Butterflies in the Neck; 19 February 2020, The Neck, Bwindi Impenetrable Forest NP; © Jan van der Laan.



Butterflies in the Neck; 19 February 2020, The Neck, Bwindi Impenetrable Forest NP; © Jan van der Laan.



Left: dragonfly spec; 19 February 2020, The Neck, Bwindi Impenetrable Forest NP; right: damselfly spec; 20 February 2020, Buhoma, Bwindi Impenetrable Forest NP; © Jan van der Laan.

0